



TERMINOS Y CONDICIONES

Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolares americanos o pesos mexicanos al tipo de cambio que Artexa México S.A. de C.V. este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de \$500.00 USD + IVA.

•No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancia recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a tráves de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.

<u>BANCOMER</u> S	UCURSAL	<u>CUENTA</u>	<u>CLABE ELEC TRÓNICA</u>
BBVA MN	08 3	0114193946	0 258000 4 939466
BBVA (USD)	08 3	0114193997	0 258000 4 939974

•Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.

• Para ordenes de producto especiales o manterial SKU será necesario un anticipo del 50%.

DEVOLUCIONES

• Toda la devolución debe tener una autorización previa por escrito por parte de Artexa México S.A. de C.V.

• Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.

•Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.

•Toda devolución causará un 20% de cargo.

•Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el porducto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.

•Nos reservamos el derecho de aceptar o no una devolución.

•No se aceptan devoluciones despúes de 30 días de haber recibido el material.

•No se aceptan devoluciones de productos que no son SKU.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description

MSRP

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".


To order, please follow this 3-step process:



To enhance the Freedom Collection, please see our accessories section on page 1-16.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MSRP				
				Fresh Food Columns
All 23.5"/24"/30"/36" • Fully Flush • Freedom [®] hinge • All-LED sidewall filte • Cold Air System • ThermaFresh system • Carbon air filter	ered theater lighting	 s include the following features: SuperCool function Gallon & Half gallon door bins Full-extension SoftClose[®] drawers SoftClose[®] delicate produce bins TFT Control Full-length cantilever racks 	 Sabbath/Eco Door open al ENERGY STA Extremely qu Reversible da Open door a 	AR [®] certified iet por swing
Step 1: Fresh Food C	olumns			
<u>T23IR900SP</u>	23.5" Fresh Food (Column	\$7,688	T23IR900SP
T24IR900SP	24" Fresh Food Co	lumn w/Produce Bins	\$9,210	
NEW T24IR902SP	24" Fresh Food Co	lumn w/Half Gallon Bins	\$9,210	
			T24IR900SP	T24IR902SP
<u>T30IR900SP</u>	30" Fresh Food Co	lumn	\$10,124	T30IR900SP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



Step 2: Panels

All Thermador[®] Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations


That Stanness Stee		
TFL23IR900	23.5" Stainless Steel Panel	\$861
TFL24IR800	24" Stainless Steel Panel	\$778
TFL30IR800	30" Stainless Steel Panel	\$861
TFL36IR900	36" Stainless Steel Panel	\$1,557
Flat Stainless Stee	el Door Panels with No Holes	
TFL23IR905	23" Single Door No Hole Flat Panel	\$778
TFL24IR905	24" Single Door No Hole Flat Panel	\$778
TFL30IR905	30" Single Door No Hole Flat Panel*	\$861
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,557

Step 3: Handles

For stainless steel handle options, please see page 1-11.

* Units compatible with 30" columns, but should be installed to units with SoftClose[®] Doors.

Model		rein do not include applicable state or local taxes.		
Number	Description		MSRP	
				Freezer Columns
	" Freezer Columns Inc	clude the Following Features:		
Fully Flush		TFT Control	Open door a	
Freedom [®] hinge	6 10 - 101 - 101 - 101 - 101	• Full-length cantilever racks	ENERGY ST	
 All-LED sidewall Soft closing full-e 	filtered theater lighting	Filtered internal diamond ice makerIce drawer with ice bin	Extremely qReversible c	
 SuperFreeze[®] fun 		 Sabbath/Economy/Vacation modes 	 Side-by-side 	-
Height-adjustable		Door open alarm		
Step 1: Freezer Co	lumns			
<u>T18IF900SP</u>		nn (Internal Ice Maker)	\$8,103	T18IF900SP
<u>T18IF901SP</u>	18" Freezer Colun with Home Conne	nn (Internal Ice Maker) ict™	\$8,103	T18IF901SP
<u>T24IF900SP</u>	24" Freezer Colun	nn (Internal Ice Maker)	\$8,833	T24IF900SP



Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	\$706
TFL24IR800	24" Stainless Steel Panel	\$778
TFL30IR800	30" Stainless Steel Panel	\$861
TFL36IR900	36" Stainless Steel Panel	\$1,557
Flat Stainless Steel D	oor Panels with No Holes	
TFL18IR905	18" Single Door No Hole Flat Panel*	\$706
TFL24IR905	24" Single Door No Hole Flat Panel	\$778
TFL30IR905	30" Single Door No Hole Flat Panel	\$861
TFL36IR905	36" Single Door No Hole Flat Panel	\$1,557

Step 3: Handles

For stainless steel handle options, please see page 1-11.

* Units compatible with 18" columns, but should be installed to units with SoftClose[®] Doors.

	all previous price lists. Prices listed he	rein do not include applicable state or local taxes.		
Model Number	Description		MSRP	
		Freezer Columns w	ith External Ice and Wa	ater Dispensei
All 18"/24" Freez	er Columns with Dispe	nser Include the Following Features:		
 Fully Flush External Filtered Dispenser Freedom[®] hinge All-LED filtered s FreeFlow[®] diamo Full-extension S 	sidewall theater lighting ond ice system	 SuperFreeze function Height-adjustable shelves Full-length cantilever racks Proximity censor on dispenser Capacitive touch control dispenser Sabbath/Economy/Vacation modes Door open alarm 	 ENERGY STAR[®] certifier TFT Control Open door Assist Extremely quiet Available in right-hand door swing (not reverse) Side-by-side kit include 	d or left-hand sible)
Step 1: Freezer C	olumns with External Ico	e and Water Dispenser	(123	
T18ID900LP	18" Freezer Colun (External Dispens		\$8,833	-
<u>T18ID900RP</u>	18" Freezer Colun (External Dispens		\$8,833	
			T18ID90	
T24ID900LP	24" Freezer Colun (External Dispens		\$9,709	
<u>T24ID900RP</u>	24" Freezer Colun (External Dispens		\$9,709	

Step 2: Panels

All Thermador[®] Freezer Columns with External Ice and Water Dispenser are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations				
TFL18ID800	18" Stainless Steel Panel for External Dispenser	\$706		
TFL24ID800	24" Stainless Steel Panel for External Dispenser	\$778		
Flat Stainless Steel Do	oor Panels with No Holes			
TFL18ID905	18" Single Door No Hole Flat Panel	\$706		
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	\$778		
TFL24IR905	24" Single Door No Hole Flat Panel	\$778		

Step 3: Handles

For stainless steel handle options, please see page 1-11.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

T24ID900LP

			FREEL	
	vious price lists. Prices listed he	rein do not include applicable state or local taxes.		
Model Number	Description		MSRP	
				Bottom Freezers
All 30"/36" Bottom Fre tures:	eezer and 36" French	Door Bottom Freezer Columns Inclue	de the Following Fea-	
 Fully Flush Freedom[®] hinge TFT control SoftClose[®] delicate All-LED sidewall filte Full-extension SoftC Full-length cantileve Full-width multi use 	ered theater lighting Close [®] drawers er racks	 Internal filtered diamond ice mak SuperCool function SuperFreeze[®] function Gallon & Half gallon door bins Carbon air filter Sabbath/Economy/Vacation mod Door open alarm ENERGY STAR[®] certified 	 Refrigerator (T30IB900SF Two evapora Two compression Open door a 	door swing reversible 9 and T36IB900SP) ttors ssors
Step 1: Bottom Freez T30IB900SP	ers 30" Bottom Freez	er	\$10,584	T30IB900SP
T36IB900SP	36" Bottom Freez	er w/Produce Bins	\$11,314	
NEW T36IB902SP	36" Bottom Freez	er w/Half Gallon Bins	\$11,314	T36IB902SP

This price list supersedes all prev Model	ious price lists. Prices listed herein do not include applicable state or local taxes.		
Number	Description	MSRP	
			Bottom Freezers
<u> T36IT900NP</u>	36" French Door Bottom Freezer	\$11,752	
<u>T36IT901NP</u>	36" French Door Bottom Freezer w/Produce Bins with Home Connect™	\$11,752	
NEW T36IT902NP	36" French Door Bottom Freezer w/Half Gallon Bins with Home Connect™	\$11,752	
		T36IT900NP /	T36IT902NP

Step 2: Panels

All Thermador[®] Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless S	Steel Door Panels	for Flush Installations	

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	\$861
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	\$1,246
<u>TFL36IT800</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,246
Flat Stainless Steel Do	oor Panels with No Holes	
TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	\$861
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	\$1,246
TFL36IT905	36" Stainless Steel Panel Set (French Door Bottom Freezer)	\$1,246

Step 3: Handles

For stainless steel handle options, please see page 1-11.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model		nerein do not include applicable state or local taxes.		
Number	Description		MSRP	
			Wine	Preservation Columns
 All 18"/24" Wine Preservation Columns Fully Flush Portable aluminum and wenge wood wine presenter Full-extension completely enclosed exotic wood shelves Fully adjustable temperature zones: 18" column-two; 24"-three 		 s Include the Following Features: Independent humidity control TFT control Freedom[®] hinge Adjustable LED lighting Diamond shaped dowels for vibration control Glass door with UV protection 	 Sabbath/Economy/Vacation modes Door open alarm Bottle capacity: 18" column–52 bottle 24" column–92 bottles (750 ml) Open door assist 	
<u>T18IW900SP</u>	18" Wine Presen 2 - Zone Temper		\$8,249	T18IW900SP
<u>T24IW900SP</u>	24" Wine Presen 3 - Zone Temper		\$8,833	T24IW800SP
<u>T24IW901SP</u>	24" Wine Preserv 3 - Zone Temper	vation Column with Home Connect™ ature Control	\$8,833	Trained <trr>Trained<trr>Trained<trr>Tr</trr></trr></trr>

This price list supersedes	all previous price lists. Prices listed herein do not include applicable state or l	ocal taxes.
Model Number	Description	MSRP
		Wine Preservation Columns
	ine Preservation Columns are panel ready. Apply content of the second seco	ustom panels or choose one of
Flat Stainless Ste	eel Door Panels for Flush Installations	
TFL18IW800	18" Stainless Steel Panel	\$706
TFL24IW800	24" Stainless Steel Panel	\$778
Flat Stainless Ste	eel Door Panels with No Holes	
TFL18IW905	18" Wine No Hole Flat Panel	\$706
TFL24IW905	24" Wine No Hole Flat Panel*	\$778

Step 3: Handles


For stainless steel handle options, please see page 1-11.

* Units compatible with 30" columns, but should be installed to units with SoftClose[®] Doors.

This price list superse	edes all previous price lists. I	Prices listed herein do not include applicable state or local taxes.									
Model Number	Descriptio	n	MSRP								
								I	Ha	nd	les
When selecting following: • One 36" han • One 30" han • Two 36" han • Three 36" ha	dle for each colum dle and one 36" ha dles for each 36" E andles for each 36"	ndle for 30" Bottom Freezers		ALL Fresh Food Columns	- Freezer Colu	ezer with IWD ^{<? >} Colun	Bottom Freezers/French Door Bottom	1301B900SP*** T361D000CD< ² 2/ T361D003CD ³	1		ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece [®] Handle	\$239				1	1			
ě	MS36HNDL20	36" Masterpiece [®] Handle	\$239	1	1	1	1	1 2	2 3	3	1

PR30HNDL20	30" Professional Handle	\$239				1				
PR36HNDL20	36" Professional Handle	\$239	1	1	1	1	2	3	3 1	1

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



Suggested Combinations

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

T30IB900SP/T24IW900SP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

 Quick Reference Guide
1 1

Step 1: Colun	nns and B	Sottom Freezers	Door Swing TypeCustom PanelFlat Stainless Steel PanelHandleless Stainless Steel PanelMasterpiece*ProfeReversiblePanel ReadyTFL23IR900TFL23IR905Order one 36* handle per column MasterpieceOrder one 36* handle per column MasterpieceReversiblePanel ReadyTFL30IR800TFL18IR905Order one 36* handle per column MasterpieceOrder on Per of ProfeNSLeftPanel ReadyTFL30IR800TFL18ID905Order one 36* handle per column MasterpieceOrder on Per of ProfeReversiblePanel ReadyTFL24IR800TFL18IR905Order one 36* handle per column MasterpieceNSLeftPanel ReadyTFL24IR800TFL18IR905RightPanel ReadyTFL24IR800TFL30IR905Order one 36* handle per column MasterpieceReversiblePanel ReadyTFL24IR800TFL24IR905Order one 30* handle handle				
Freedom [®] Column Type	Width	•	Custom Panel	Stainless Steel	Stainless Steel	Masterpiece®	Professional
FRESH FOOD C	OLUMNS						
Precedom* Column TypeWidthDoor Swing TypeCustom PanelFlat Stainless Steel 							
T24IR900SP T24IR902SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905		Order one 36" handle
T30IR900SP T30IR901SP T30IR902SP FREEZER COLUM FREEZER WITH IV T18ID900LP T18ID900RP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece	per column Professional PR36HNDL20
	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	Width Door Swing Type Custom Panel Flat Stainless Steel Panel Handleless Stainless Steel Panel Masterpiece* Profe 23.5* Reversible Panel Ready TFL23IR900 TFL23IR905 Order one 38* handle per column Masterpiece Order one 38* handle per column 18* Left Panel Ready TFL30IR900 TFL30IR900 TFL30IR905 Order one 38* handle per column Order one 38* handle per column 18* Left Panel Ready TFL30IR900 TFL30IR905 Order one 38* handle per column Order one 38* handle per column 18* Left Panel Ready TFL30IB800 TFL30IB905 Order						
	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Steel Masterpiece Professional 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professional PR36HNDL20 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professional PR36HNDL20 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professional PR36HNDL20 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professional PR36HNDL20 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professional PR36HNDL20 05 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 30" Anadle per column Professional PR36HNDL20 05 Order one 30" Anadle per column Professional PR36HNDL20 Order two 36" Anadle per column Professional PR36HNDL20 05 Order two 36" Anadle per column ³ Anadles per column ⁴ Anadles per column ⁴ Professional Pr36HNDL20 Order three 36" Anadle per column Professional PR36HNDL20 05 Order one 36" handle per column Professional Pr36HNDL20 Order one 36" Anadle Per column Pr36HNDL20	
	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
	24"	Reversible	Panel Ready	TFL24IR800	Handleless Stainless Steel PanelMasterpiecePr00TFL23IR905 PanelOrder one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece Pr PF00TFL18IR905 00Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL2000TFL18IR905 00Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL2000TFL18ID905 00Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL2000TFL24IR905Order one 30" handleOrder or per column Masterpiece MS36HNDL2000TFL36IB905Order one 30" handleOrder or per column Masterpiece MS36HNDL2000TFL36IB905Order two 36" handles per column4Order per per column700TFL36IB905Order one 36" handle handles per column7Order handle00TFL36IB905Order one 36" handle handles per column7Order handle00TFL36IB905Order one 36" handle per column7Order handle00TFL36IB905Order one 36" handle per column7Order handle00TFL36IB905Order one 36" handle per column7Order per column700TFL36IB905		
	30"	Reversible	Panel Ready	Custom PanelFlat Stainless Steel PanelHandleless Stainless Steel PanelMasterpiecePPanel ReadyTFL23IR900TFL23IR905Order one 36" handle per column Masterpiece MS36HNDL20Order one 36" handle per column Masterpiece MS36HNDL20Panel ReadyTFL18ID800TFL18ID905 TFL24ID905Order one 30" handleOrder order one 30" handlePanel ReadyTFL30IR800TFL30IR905Order one 30" handleOr handlePanel ReadyTFL30IB800TFL30IR905Order thre 36" handleOr handlePanel ReadyTFL36IB800TFL36IB905Or handleOr handlePanel ReadyTF			
	edom* endom* um Type Width Door Swing Type Custom Panel Flat Stainless Steel Panel Handleless Stainless Steel Panel Masterpic Panel 23.5* Reversible Panel Ready TFL23IR900 TFL23IR905 Order one 36* per colu Masterpic IR900SP 24* Reversible Panel Ready TFL30IR800 TFL30IR905 IR900SP 36* Reversible Panel Ready TFL30IR800 TFL30IR905 IR900SP 36* Reversible Panel Ready TFL30IR800 TFL30IR905 IR902SP 36* Reversible Panel Ready TFL30IR800 TFL30IR905 IR902SP 36* Reversible Panel Ready TFL30IR900 TFL30IR905 ISEZER COLUMNS 18* Reversible Panel Ready TFL30IR900 TFL30IR905 36* Reversible Panel Ready TFL30IR900 TFL30IR905 Order one 36* per colu Masterpic 36* Reversible Panel Ready TFL30IR905 TFL30IR905 18* Left Panel Ready TFL30IR905 TFL30IR905						
30" Reversible Panel Ready TFL30IR800 TFL30IR905 Masterpiece 36" Reversible Panel Ready TFL30IR900 TFL30IR905 MS36HNDL20 Reversible Panel Ready TFL30IR900 TFL36IR905 REEZER WITH IWD ¹ COLUMNS T18ID900LP 18" Left Panel Ready TFL18ID800 TFL18ID905 Order one 36" handle							
T18ID900LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID900RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905		
T24ID900LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece	Professional
T24ID900RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	MS36HNDL20	PR36HNDL20
BOTTOM FREE	ZERS/FREI	NCH DOOR BOTTO	M FREEZERS	Flat Stainless Steel Panel Handleless Stainless Steel Panel Masterpiece Profe TFL23IR900 TFL23IR905 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 30" handle Order handle Dref one 30" handle Order handle Order handle Dref one 30" handle Order handle Dref one 30" handle Dref one 30" handle	1		
T30IB900SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905		
T36IB900SP ³ T36IB902SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	
T36IT900NP ⁴ T36IT901NP ⁴ T36IT902NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	handles	handles
WINE PRESERV	ATION CO	DLUMNS		•	Steel Handleless Stainless Steel Panel Masterpiece Professional 300 TFL23IR905 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Masterpiece Order one 36" handle per column 300 TFL36IR905 Order one 36" handle per column Order one 36" handle per column 300 TFL36IR905 Order one 36" handle per column Order one 36" handle per column 300 TFL38IR905 Order one 36" handle per column Order one 36" handle per column 300 TFL38IR905 Order one 36" handle per column Order one 36" handle per column 300 TFL38IR905 Order one 36" handle per column Order one 36" handle per column 300 TFL18ID905 Order one 36" handle per column Order one 36" handle per column 300 TFL24IB905 Order one 30" handle Order one 30" handle 300 TFL30IR905 Order one 30" handle Order two 36" handles per column ³ 300 TFL36IB905 Order three 36" handles Order three 36" handles 300 TFL36IB905 Order one 36" handle per column Order three 36" handles 300 TFL36IB905 Order one 36" handle per column ⁴ Order one 36" handle per column		
T18IW900SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	_ Order one 36" handle	Order one 36" handle
T24IW900SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	per column Masterpiece	per column Professional
T24IW901SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	MS36HNDL20	PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability.

1 IWD = Ice and Water Dispenser

2 Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

3 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

PREASSEMBLED COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece[®] Handles.

 Fully Fluch 		• Open deer essist	Deer open clarm							
Fully Flush		Open door assist	Door open alarm							
 TFT Control 		 ThermaFresh system 	 ENERGY STAR[®] ce 	rtified						
 Installs framed or 	flush	 Internal filtered diamond ice maker 	 Extremely quiet 							
 Freedom[®] hinge 		 SuperCool function 	 Refrigerator door s 	-						
 All-LED filtered side 	dewall theater lighting	 SuperFreeze[®] function 	(T30BB and T36BE	3)						
Soft closing full-extension drawers		Gallon door bins	 Two evaporators 							
Delicate produce	bins	Carbon air filter	Two compressors							
 Full-length cantile 	ver racks	 Sabbath/Economy/Vacation modes 								
Bottom Freezers T30BB920SS	30" Bottom Freez	er, two-door, Professional Handles	\$12,481							
<u>T36BB920SS</u>		er, two-door, Professional Handles	\$12,919							
<u>T30BB910SS</u>	30" Bottom Freez	er, two-door, Masterpiece [®] Handles	\$12,481							
<u>T36BB910SS</u>	36" Bottom Freez	er, two-door, Masterpiece [®] Handles	\$12,919							
			ТЗОВ	B920SS						

French Door Bottom I	Freezers	
<u>T36BT920NS</u>	36" French Door Bottom Freezer, three-door, Professional Handles	\$13,649
<u>T36BT910NS</u>	36" French Door Bottom Freezer, three-door, Masterpiece [®] Handles	\$13,649



UNDER-COUNTER COLLECTION

This price list supersedes all prev. Model Number	ious price lists. Prices listed herein do not include applicable state or local taxes. Description	MSRP
	·	
 All Under-Counter U Built-in flush design LED lighting Electronic touch con temperature manage 		 Star K Certified ENERGY STAR[®] certified
		Glass Door Refrigeration Units
• 5 cu. ft.	Customizable shelving Custom	nizable cooling modes:
T24UR920LS	24" Refrigerator, Professional Handle, Left Swing	\$4,068
T24UR920RS	24" Refrigerator, Professional Handle, Right Swing	\$4,068
<u>T24UR910LS</u>	24" Refrigerator, Masterpiece Handle, Left Swing	\$4,068 T24UR920LS
T24UR910RS	24" Refrigerator, Masterpiece Handle, Right Swing	\$4,068
T24UR900LP	24" Refrigerator, Custom Panel, Left Swing	\$3,536
T24UR900RP	24" Refrigerator, Custom Panel, Right Swing	\$3,536
		Drawer Refrigeration/Freezer Unit
 5 cu. ft. SoftClose[®] drawers Drawer open alarm 	 Customizable shelving and drawer dividers Customizable cooling modes: Fridge, Pantry and Bar Quick C Removation 	Chill = ==== able drawer mat for
T24UR920DS	24" Refrigerator, Professional Handle	\$5,059 T24UR920DS/
T24UR910DS	24" Refrigerator, Masterpiece Handle	\$5,059
T24UR900DP	24" Refrigerator, Custom Panel	\$4,524
T24UC920DS	24" Refrigerator/Freezer, Professional Handle, ice mak	ker \$5,515
T24UC910DS	24" Refrigerator/Freezer, Masterpiece Handle, ice mak	ker \$5,515
T24UC900DP	24" Refrigerator/Freezer, Custom Panel, ice maker	\$5,286
		Glass Door Wine Preservation Unit
Under-Counter Wine	Preservation Units	
42-bottle capacityFull-extension wenge	diamond wine racksglass doe wood• Tinted UV-resistant tempered	oor
T24UW920LS	24" Wine Pres., Professional Handle, Left Swing	\$4,997
T041104000D0	048 Miles Buss. Bussian al Use alla Dialet Orain a	T24UW920LS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

24" Wine Pres., Professional Handle, Right Swing

24" Wine Pres., Masterpiece Handle, Left Swing

24" Wine Pres., Masterpiece Handle, Right Swing

24" Wine Pres., Custom Panel, Left Swing

24" Wine Pres., Custom Panel, Right Swing

<u>T24UW920RS</u> <u>T24UW910LS</u>

T24UW910RS

T24UW900LP

T24UW900RP

\$4,997

\$4,997

\$4,997

\$4,485

\$4,485

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®] A	Accessories					Fr	eec	lon	n®			F	Prea	isse	eml	ole	ь
	Model Number	Description	MSRP	T23IR900SP	T24IR90xSP	T30IR90xSP	T36IR900SP	T30IB900SP	T36IB90xSP	T36IT900NP/902	T36IT901NP	T30BB920SS	T36BB920SS	T30BB910SS	T36BB910SS	T36BT920NS	T36BT910NS
	Installation Acce		MONF	Т	-	Т		-	-	-	-		<u>–</u>	-	Т	T	-
11	HEATRKIT20	Freedom Heater Kit (Use when columns are less than 6" a not side by side, or for nontraditional side combinations, without freezer column is recommended for use with any ins areas that are subject to humidity, or to an outside wall.)	side-by- n. This kit tallation in	•	•	•	•	•	•								
	FRAMEKIT10	Freedom Frame Kit (use for a framed installation)	\$156	•	•	•	•	•	•	•	•						
	Interior Accesso	ries for Refrigerators		•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	\$394														
	LPRODBIN10	Large Produce Bin	\$439	•	•	•	•	•	•	•	•	•	•	•	•	•	•
r	24PRODRAIL	24" Produce Railing	\$156	•	•												
	30PRODRAIL	30" Produce Railing	\$171			•		•				•		•			
Industry S	36PRODRAIL	36" Produce Railing	\$201				•		•	•			•		•		
L-F,	3DPRODRAIL	3-Door Produce Railing	\$128								•					•	•
	24HFGALBIN	24" Half-Gallon Bin	\$254	•	•												
	30HFGALBIN	30" Half-Gallon Bin	\$269			•		•				•		•			
	36HFGALBIN	36" Half-Gallon Bin	\$284				•		•	•			•		•		
	<u>3DHFGALBIN</u>	Three Door Half-Gallon Bin	\$239								•					•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®]	Accessories						Fre	eed	lom	n®				Pre	as	sen	nble	ed
	Model Number	Description	MSRP	T18IF900SP	T18IF901SP	T24IF900SP	T30IF900SP		T24ID900LP/RP		T36IB900SP	T36IT900NP	T36IT901NP	T30BB920SS	130BB92USS T20BB040CC	T36BB91055	T36BT920NS	T36BT910NS
	Interior Accessor	ies for Freezers Ice Bucket	\$128	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Filter Accessorie		\$113	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Ba 11	SCRNFLTR10	Freedom [®] Screen Filter (Filter bypass when no filter necessary)	\$83	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Freedom[®] Wine Preservation Accessories


	Model Number	Description	MSRP	T18IW900SP	T24IW900SP	T24IW901SP
11	Interior Accesso T18WINERK1	ories for Wine Columns 18" Wine Shelf providing a 62 bottle capacity	\$342	•		
	T24WINERK1	24" Wine Shelf providing a 99 bottle capacity	\$444		•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number MSRP Description **Under-Counter Accessories** T24UW920LS/RS T24UW910LS/RS T24UW900LP/RS T24UC900DP T24UC920DS T24UC910DS \$224 • • • MS20HNDL20 20" Under-Counter Masterpiece Handle MS22HNDL20 22" Under-Counter Masterpiece Handle \$224 • • • -PR20HNDL20 20" Under-Counter Professional Handle \$224 • • • -PR22HNDL20 22" Under-Counter Professional Handle \$224 . . . • **Under-Counter Filter** • • • • UCTRFLTR10 \$113 •

Model Number	Description		MSRP		
All Built-In Coff	ee Machines Include the	Following Features			
 Equipped with Connected Exp Connect™ Perfect for freq customization a 8 personalized so family memil can program th from single sho to extra-large c Easy to read compared 	the Thermador perience by Home uuent selections, coffee settings store up to beverages with names bers and house guests heir favorite drinks— ot espresso, to tea,	 size and temperature control Store up to 8 different beverages 1 lb. Bean container Height-adjustable dispenser with dual spouts for brewing 2 cups at a time Beverages can be adjusted in small increments One Touch Function for coffee and milk/froth Fully automatic rinse program 	formance ce Adjustable of fine to coars Powder drav Built-In wate Sensor alert water level i 10-cup wate	wer er filter s when coffee bear s low	r very
 Includes direct water and drain with AquaStop TCM24PS TCM24TS 	n connection		B \$5,977 \$5,532	uilt-In Coffee M	
Accessories				TCM24TS	TCM24TS
	ICMTK30RS 30" Sta	inless Steel Trim Kit	\$593	•	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

Thermador WALL OVENS



MASTERPIECE[®] SERIES

	Il previous price lists. Prices listed he	erein do not include applicable state or local taxes.	
Model Number	Description		MSRP
All Masterpiece®	Series Built-In Ovens	Include the Following Features:	
 Thermador Conr Home Connect™ TFT Touch contr Silver glass on s SoftClose[®] doors 4.5 cu. ft. overall 	ol display tainless steel s	 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast Two-hour self clean Fast preheat for seven different cook- ing modes Meat probe Sabbath Mode 	 Two halogen lights Star-K certified 208–240 V <i>Microwave/Speed Ovens</i> 1.6 cu. ft. overall capacity 10 power levels Sensor cooking Sensor reheat
			50 Masterpiece Ove
Additional Cooki Rotisserie, Max Convection Broil	Broil, Max with	12-pound capacity racks • Multi-point m	cess [®] telescopic eat probe
Additional Cooki Rotisserie, Max Convection Broil	ing modes: • Com Broil, Max with	12-pound capacity racks	cess [®] telescopic
 Additional Cooki Rotisserie, Max 	ing modes: • Com Broil, Max with 1 30" Single Oven, 3	12-pound capacity racks • Multi-point m 3 Telescopic Racks 3 Telescopic Racks,	cess [®] telescopic eat probe



 30" Masterpiece Sing One Full Access[®] tel 		elect rack and two standard racks	 Meat probe 		
<u>ME301WS</u>	·	e Oven, 1 Telescopic Rack		\$5,889	


ME301WS



MASTERPIECE[®] SERIES

Model Number	Description	MSRP		
		3	0" Masterpiece [®] Oven	
 30" Masterpiece Do Additional Cookin Rotisserie, Max E Convection Broil Commercial-style with 12-pound ca 	roil, Max racks (U); One Full Access [®] (U) telescopic rack and two rotisserie standard racks (L)	 Multi-point meat probe (U); Meat probe (L) 		
MED302WS	30" Double Oven, 4 Telescopic Racks	\$10,482		
MED302LWS	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	\$11,223		
MED302RWS	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	\$11,223	MED302WS	
			Image: Constraint of the second s	
30" Masterpiece Do	ouble Oven—Select			
<u>ME302WS</u>	30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)	\$8,852		
The information contained in		o fido tiol information. The selector of disclosure	ME302WS	
	this document is BSH Home Appliances Corporation's proprietary and c e prior written consent of BSH Home Appliances Corporation is strictly fo			


MASTERPIECE[®] SERIES



This price list supersede	es all previous price lists. Prices listed he	rein do not include applicable state or local taxes.	
Model Number	Description		MSRP
All Masterpiece	e [®] Series Built-in Steam	and Convection Ovens Include the Follow	wing Features:
Thermador Co Home Connec	nnected Experience with t™	 Features 17 cooking modes: True Convection, Convection Bake, Bake, 	 Three Full Access[®] telescopic rails Multi-point meat probe
Large steam c	avity 2.8 cu. ft.	Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection,	• 1.4 qt. water tank
TFT Touch cor	ntrol display	Slow Roast, Dehydrate, Proof, Warm,	LED lights
 Silver glass or 		Steam, Steam Convection, Reheat,	Sabbath Mode
SoftClose [®] do		Defrost	Star-K certified

- 41 EasyCook[®] programs
- · Easy Clean program
- · Fast preheat for five different cooking modes
- 208-240 volts


Masterpiece® Steam and Convection Ovens



SharePoint.

Model Number	Description		MSRP
All Profession	nal Series Built-In Ovens I	nclude the Following Features:	
Home Conne	tyle stainless steel knobs	 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast 	 Two halogen lights Sabbath Mode Star-K certified 208-240 V
 SoftClose[®] de 	on stainless steel oors erall oven capacity	Two-hour self cleanFast preheat for seven different cooking modes	Microwave/Speed Ovens1.6 cu. ft. overall capacity10 power levels

30" Professional Series Ovens



PO301W



Model Number	previous price lists. Prices listed herein do not include applicable state or Description	10041 (2000).	MSRP	
				fessional Series Oven
 B0" Professional D Additional Cookir Rotisserie, Max B Convection Broil 	Broil, Max racks (U)	(L) • Multi-point meat p • Meat probe (L)	vrobe(U)	
POD302W	30" Double Oven, 4 Telescopic Racks		\$11,223	
POD302LW	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door		\$12,112	
POD302RW	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door		\$12,112	
				POD302W
				POD302LW
30" Professional D • One Full Access [®] <u>PO302W</u>	telescopic rack and two standard racks 30" Double Oven, 2 Telescopic Rack	• Meat probe	\$9,741	
				P0302W

This price list supersedes all p	previous price lists.	Prices listed herein do not include applicable state or	local taxes.	
Model Number	Descripti	on	MSRP	
			30" Prot	fessional Series Ovens
30" Professional Co	ombination	Oven with Microwave		2
One Full Access	telescopic	Meat probe (L)	• 13" turntable	
rack and two stan (L)	dard racks	<i>Microwave features:</i> Touch control display 	950 W microwave power	Prest
<u>POM301W</u>		mbination Oven with Microwave, copic Rack	\$8,704	POM301W
30" Professional Co	ombination	Oven with Speed Oven		
 Additional Cookin Rotisserie, Max B Convection Broil 	-	 Three Full Access[®] telescopic racks Multi-point meat probe 	 Speed Oven features: 36 Cook Smart™ Programs 12 ½" turntable 1,000 W microwave power 	
PODMC301W		mbination Oven with Speed Oven, copic Racks	\$10,630	

PODMC301W



This price list supersedes all pr Model	revious price lists.	Prices listed herein do not include applicable state o	or local taxes.	
Number	Descriptio	on	MSR	P
			30" Pr	ofessional Series Ovens
30" Professional Tri	ple Combina	ation Oven with Speed Oven and	Warming Drawer	
 Additional Cooking Rotisserie, Max Br 	-	<i>Speed Oven features:</i> ● 36 Cook Smart™ Programs	Warming Drawer features: SoftClose[®] drawer 	
Convection Broil		• 12 1/2" turntable	Touch control	
Three Full Access	telescopic	• 1,000 W microwave power	• 2.5 cu. ft. overall capacity	Threader
racks			• 450 W heater	
 Multi-point meat p 	robe		 Four heating modes: Low, Medium, High, Proof 	
			• Timer	i - a - L
PODMCW31W	•	le Combo Oven with Speed Over copic Racks	ı, \$13,59	3

PODMCW31W



Model Number	Description		MSRP
All Profession	al Series Built-in Steam	and Convection Ovens Include the Follow	ving Features:
Thermador Connected Experience with		 Features 17 cooking modes: True 	modes
Home Conne	ct™	Convection, Convection Bake, Bake,	Three Full Access® telescopic rails
 Large steam cavity 2.8 cu. ft. 		Convection Roast, Roast, Convection	 Multi-point meat probe
TFT Touch co	ntrol display	Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm,	• 1.4 gt. water tank
 Restaurant-st 	yle stainless steel knobs	Steam, Steam Convection, Reheat,	LED lights
 Silver glass o 	n stainless steel	Defrost	Sabbath Mode
 SoftClose[®] do 	oors	Steam Clean program	Star-K certified
 41 EasyCook⁶ 	programs	 Fast preheat for five different cooking 	• 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series	Steam and Convection Oven		
PODS301W	30" Steam and Convection Oven with 3 Te	\$7,371 elescopic Racks	PODS301W
 Professional Combi Lower oven: Therr Connected Experie Home Connect™ 4.5 cu. ft. overall of ity 16 Cooking modes True Convection, S Convection, Rotiss Broil, Bake, Broil, I PODS302W 	ence with ven capac- Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast Two-hour self clean Fast preheat for seven differ- ent cooking modes	racks Multi-point meat probe Three belogen lights 	PODS302W

				MICROWAVE OVEN
This price list supersedes a Model Number	all previous price lists. Prices i Description	isted herein do not include applicable state o	or local taxes.	
All Masterpiece®	Series Built-in Mi	crowave and Speed Ovens	Include the Following Features:	
 Silver glass on s 	stainless steel	10 power levels	 Sensor rel 	neat
 1.6 cu. ft. overa 	II capacity	Sensor cooking		
				Microwave Oven
Built-In Microwav	/es			
 Touch Control E 14¹/₈" ceramic to 		950 W Microwave power	 Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet 	
MB30WS	30" Masterpi Stainless Ste	ece Microwave, el, 120 V	\$2,258	MB30WS
MB30WP	30" Professio Stainless Ste	onal Microwave, eel, 120 V	\$2,554	
Built-In Speed Ov • Full color TFT d	lisplay •	1,000 W Microwave power	• Broil	Speed Oven
 12¾" ceramic to 		36 Cook Smart™ Programs Convection Bake	• 208 or 240 V, 4 wire fixed connection	
MC30WS		ece Speed Oven, eel, 208-240 V	\$3,443	MC30WS
MC30WP		onal Speed Oven, eel, 208-240 V	\$3,739	

MC30WP

MICROWAVE OVENS

This price list supersedes	s all previous price lists.	Prices listed herein do not include applicable state o	r local taxes.		
Model Number Description		on	MSRP		
			Micro	Drawer [®] Microwave Oven	
Built-In MicroDra	awer [®] Microway	ve			
 Blue digital dis scrolling text 1.2 cu. ft. cavit Fits a 7" mug content 	ty	 950 W microwave power Auto-Cooking modes (includ- ing Melt, Soften, Keep Warm) Sensor cooking 	Hidden ventTouch open and closePerfect flush installation	MD24WS	
MD24WS	24" Mic	rowave Drawer	\$2,5	54	
MD30WS	30" Mic	rowave Drawer	\$2,70)2	
				MD30WS	

Over-the-Range Microwave Hood

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony[®] 5-burner gas range
- Exclusive stainless steel handle
- LCD display

MU30WSU

• 2.1 cu. ft. cavity

- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- 10 cooking modes

Over-the-Range Microwave Hood, Stainless Steel

- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM



MU30WSU


\$1,369

WARMING DRAWERS


Model Number	all previous price lists. Prices listed herein do not include applicable state Description	MSF	P
			Warming Drawers
Standard Warmin	ng Drawers		
 Our warming d perfect combin uncompromisir mance, unique features and el SoftClose[®] doo 	 action of ng perfor- convenience egant design 2.2 cu. ft. overall capacity Touch Control Display Four heating modes: Low, Madium, Uich, Droof 	 450 W heating element Timer Plugs into a standard 120 volt, 3-prong outlet 	WD30WC
WD30W	30" Warming Drawer, Custom Panel Rea	ady \$2,71	1
WD30WC	30" Warming Drawer, Push to Open	\$2,41	5
Storage Drawers			
 Our storage drawers are the perfect combination of uncompromising perfor- mance, unique convenience features and elegant design 2.4 or 0.8 cu. ft. overall capacity 			SD30WC SDS30WC
SD30WC	30" Storage Drawer (2.4 cu. ft.)	\$1,45	
SDS30WC	30" Storage Drawer, Short Height (0.8 c (Install Under Steam Oven)	u. ft.) \$1,00	6

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.						
Model Number	Model Number Description MSF	P				
Accessor	ies	30" Professional Series	30" Professional Series Built- In Steam and			
	SDCLNRCK30 Self-Clean Standard Rack, 30" \$29	6 •	•			
	For the telescopic rack, please see the Cleaners & Accessories Price List in the Sales SharePoint.	•				
	WKNOBKT3W Blue Metal Knob Kit \$7 for Professional Oven (2 pc.)	3	•			

GAS COOKTOPS



GAS COOKTOPS



GAS COOKTOPS

his price list superse		Prices listed herein do not include applicable state or local taxes.				
	Model Number	Description	UMRP	MSRP		
Accessorie	es				Star [®] Burner	Pedestal Star [®]
	<u>SLPKITW</u>	LP Gas Conversion Kit for Star [®] Burner Series Cooktops		\$148	•	
	<u>SNPKITPEDW</u>	LP Gas Conversion Kit for Pedestal Star [®] Burner Series Cooktops		\$148		•
0	the large burner of	Wok Ring eration on Star [®] Burner and Pedestal Star [®] Burne on all cooktop sizes, allowing the user to cook w urable and dishwasher safe			•	•
		Griddle 5-burner Star [®] and Pedestal Star [®] Burner Series design allows for even heat distribution and fast I cooking		-	•	•
	SKNOBLUW Fits 30" and 36" F to install	Blue Knob Kit, Pedestal Star [®] Burner Cooktops Pedestal Star [®] Burners Series models • Set of five	e knobs • Blu	\$163 e metallic finish • Easy		•

GLASS CERAMIC ELECTRIC COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

UMRP MSRP

All Masterpiece[®] Series Glass Ceramic Electric Cooktops Include the Following Features:

			Masterpiece [®] Series
Touch Control/Bridge			-
 With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover Bridge element with dual 	 Touch controls with blue illumination are easy to use and offer a sleek, modern design PowerBoost[®] 	 Shut-Off Timer for every element Kitchen timer Number of cooking zones: 10 	
element	Child Lock	 Power/Amps: 208–240 V, 60 Hz//40/50 A 	СЕТ366ТВ
LR: 5"/7" @ 700 W/1,700 W	C: 6"/8"/11" @	RR: 6" @ 1,200 W	
LF: 7" @ 1,700 W (4,000 W Bridge)	1,050 W/2,200 W/3,080 W	RF: 6"/8" @ 1,200 W/2,100 W	
<u>CET366TB</u> 36" Stai	inless Steel Frame	\$3,027	
Touch Control			· ·
 With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover Touch controls with blue illumination on some base and 	offer a sleek, modern design Keep Warm Child Lock Shut-Off Timer for every element 	 Kitchen timer Number of cooking zones: Eight Power/Amps: 208–240 V, 60 Hz//30 A 	CET305TB
mination are easy to use and	element		02100310
LR: 5"/7" @ 700 W (1,700 W)	RR: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W		
LF: 6" @ 1,700 W (4,000 W Bridge)	RF: 6" @ 1,200 W		
<u>CET305TB</u> 30" Fran	meless Design	\$2,717	
Manual Controls/Stainless Stee	l Knobs/Bridge		-
Dual zone bridge element accommodates oblong	 High quality, robust, die-cast metal knobs 	 Number of cooking zones: 10 Power/Amps: 208–240 V, 	
cookware	Variable 9-stage power settings	60 Hz//40/50 A	
LR: 5"/7" @ 700 W,1,700 W	C: 6"/8"/11" @	RR: 6" @ 1,200 W	СЕМ366ТВ
LF: 7" @ 1,700 W (4,000 W Bridge)	1,050 W,2,200 W/3,080 W	RF: 6"/8" @ 1,000 W/2,200 W	
<u>CEM366TB</u> 36" Stai	inless Steel Frame	\$2,562	
Manual Controls/Stainless Stee	l Knobs		
Dual zone bridge element accommodates oblong	 High quality, robust, die-cast metal knobs 	 Number of cooking zones: 10 Power/Amps: 208–240 V, 	
cookware	Variable 9-stage power settings	60 Hz//30 A	
LR: 5"/7" @ 700 W,1,700 W	RR: 6"/8"/11" @ 1,050 W,2,200 W/3,080 W		СЕМ305ТВ
LF: 7" @ 1,700 W (4,000 W Bridge)	RF: 6" 1,200 W		
	malaaa Daaign	¢0.050	

CEM305TB

30" Frameless Design

\$2,252

This price list supersedes all previ	ous price lists. Prices listed herein do not include applicable state or local taxes.	
Model Number	Description	MSRP

All Masterpiece[®] Series Freedom[®] and Liberty™ Induction Cooktops Include the Following Features:

Masterpiece® Series

Freedom[®] Induction – 13"×21" Cooking Position with 5,500 W

- · Entire surface of the cooktop can be used as one large cooking area
- · Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- · Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone[™] mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[™] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro[™] mode divides a teppanyaki griddle into on heated or one nonheated area
- PanBoost[™]
- 17 power levels
- Residual heat indicators ٠
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A




CIT36XWB





Minimum cookware size: 3" × 3"
Maximum cookware size: 13" × 21"
Performance:
3,500 W/5,500 W (PowerBoost)
36" Dark Gray Glass, Stainless Steel Frame

CIT36XWB	36" Dark Gray Glass, Stainless Steel Frame
CIT36XWBB	36" Dark Gray Glass, Frameless Design
CIT30XWBB	30" Dark Gray Glass, Frameless Design




GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

UMRP MSRP
Masterpiece [®] Series
utomatic pan recognition leatShift™ has three preset eat zones NoveMode™ allows easy ansfer settings luminated touch controls 7 power levels
Center Full Zone 11¼"x9½" @ 3,300 W/3,600 W (PowerBoost) RR: 7½"x9" @ 2,200 W/3,600 W (PowerBoost) Right Full Zone 15"x9" @ 3,300 W/3,700 W (PowerBoost) RF: 7½"x9" @ 2,200 W/3,600 W (PowerBoost) Right Full Zone 15"x9" @ 3,300 W/3,700 W (PowerBoost) Griften full Zone 15"x9" @ 3,300 W/3,700 W (PowerBoost)
Gray Glass, Frameless \$5,975
Gray Glass, \$5,975 el Frame
rored Glass, \$6,751
rored Glass, \$6,751 el Frame CIT367XM
rored Glass, \$6,751 rored Glass, \$6,751 el Frame



CIT367XMS



CIT304TM


ELECTRIC AND INDUCTION ACCESSORIES

his price list superse	Model	Prices listed herein do not include applicable state or							
	Number	Description	UMRP	MSRP					
Accessorie	S				Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	Induction
Griddle-Style	Teppanyaki					I			
Recomment	ded accessory for nduction Cooktop d in oven induction,	 Silvinox surface treatment prevents discoloration 7-Ply material 18/10 stainless steel 	 Additional copper and aluminum materials us for fast and even heat 10-year guarantee 	sed					
	TEPPAN1321	13"×21"		\$741					
		Recommended accessory for Freedom [®] Induction Cooktop		Ψ7 Τ			•		
	<u>TEPPAN1314</u>	13"×14" Recommended accessory for Freedom [®] Induction Cooktop		\$593			•		
	TEPPAN1013	10"×13" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	\$444			•	•	
	TEPPAN1016	10"×16" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	\$593			•	•	
Cast Aluminu	um Non-Stick Indu	ction Grill							
	cast aluminum ferromagnetic	 Outstanding corrosion and abrasion resistance 	 Ovenproof up to 425° dishwasher-safe 	F and					
 base Easy to grip side handles 	with two cast-in s	 Ridged surface adds grilled sear marks, while draining away excess fat 	17" x 9" grilling surfacPFOA-free	e					
	NEW TGRILLPA	<u>NX</u> 17" x 9"		\$399			•	•	
Stainless Ste	el Chef's Pan								
CookSmart		Stainless steel with aluminum core	Encapsulated aluminuThree layers	im base					
 Works with and gas 	induction, electric	 Non-stick Teflon[®] Platinum material (CHEFSPAN08) 							
0	CHEFSPAN08	10" Chef's Pan for 8" and 9" Eler	ments	\$296	•	•	•	•	•
	CHEFSPAN13	16" Chef's Pan for 13" Element		\$593	•	•	•	•	•
	el Roasting Pan	1.1							
	searing, braising, at, poultry and	 Ideally suited for Liberty™ induction cooking zones Made of 18/10 stainless steel 	 Dishwasher safe Oven-safe up to 500° (350° with lid) 	F					
E	TROASTERT	10"×16" Roasting Pan with Glas	s Lid	\$296				•	

ELECTRIC AND INDUCTION ACCESSORIES

This price list supersedes a	Il previous price lists. P	rices listed herein do not include applicable state or lo	cal taxes.					
Model Number Description MSI								
Accessories				Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	Induction
Wireless Cooking	g Temperature	Sensor						
 Allows you to see way to prepare you wish. The c measures the term 	every food as ooking sensor	of the pot continuously. This allows the power to be main- tained with greater precision to provide exceptional cooking	results. The sensor is required to use the Freedom [®] induction Cooking Sensor mode					
	COOKSENSW	Wireless Cooking Sensor	\$296			•		

Thermador[®] **PROFESSIONAL**



PRO GRAND[®] SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description

All Pro Grand[®] Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base™ (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- · Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- · Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- · L.P. kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

- All Ovens
- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- Fast Preheat
- Main Oven
- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 1/2 hr light-soil clean
- · Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-2)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be

ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

- Induction Models
- Thermador 3,600 W Liberty Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Indoor Pro Electric Grill
- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

- 1.630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- 48" Range Full-featured Secondary Oven
- · 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- · 2,600 W 6-pass broil elements
- · Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert
- 60" Range Full-featured Secondary Oven
- · 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4.000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

MSRP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number	Descripti	on		MSRP	
					36" Dual-Fuel Range
 Four Pedestal Star[®] Bu (Four with ExtraLow[®]) Liberty Induction 		 Teppan-yaki accessory TEPPAN1016 sold separate 	ły		
LR: BTU 15,000 high*/375 XLO		RR: BTU 15,000 high*/375 XLO	Induction 3,600 W 230 V		
LF: BTU 22,000 XHI*/375 XLO		RF: BTU 18,000 high*/375 XLO	3,300 W 208 V		Tiremate
	Porcela	inless Steel with in Surface and scopic Oven Racks		\$15,816	
Six Pedestal Star [®] Bur	ners	(Four with ExtraLow [®])			
LR: BTU 15,000 high*/375 XLO		CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO		CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/375 XLO		
	Porcela	inless Steel with in Surface and scopic Oven Racks		\$14,482	
Four Pedestal Star [®] Bu (Four with ExtraLow [®]) a fusion non-stick surfac	and	Indoor Pro Electric Grill,Indoor Pro Electric Grill, convertible to Griddle	with optional acc PAGRIDDLEW	cessory	
LR: BTU 15,000 high*/375 XLO		Electric Grill 1,630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO		(6-pass 2x)	RF: BTU 18,000 high*/375 XLO		Erent
	Porcela	inless Steel with in Surface and scopic Oven Racks		\$15,223	
Four Pedestal Star [®] Bu (Four with ExtraLow [®]) a		 Non-stick surface Electric Griddle, convertible to Grill with optional accessory 	PA12GRILLW or	PA12GRILFW	
LR: BTU 15,000 high*/375 XLO		Electric Griddle	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO		(6-pass)	RF: BTU 18,000 high*/375 XLO		2 mm tr
	Porcela	inless Steel with in Surface and scopic Oven Racks		\$15,223	
			BTU LP; 22,000 BTU NG convert	40 10 000 BTUL B	

purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—DUAL-FUEL RANGES


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description		UMRP	MSRP	
					48" Dual-Fuel Ranges
 Six Pedestal Star[®] B Cooktop (Four with ExtraLow[®]) with Libe 		n	Teppan-yaki access TEPPAN1016 sold s		
LR: BTU 15,000 high*/375 XLO LF: BTU	CR: BTU 15,000 high*/3,000 low CF: BTU	RR: BTU 15,000 high*/375 XLO RF: BTU	Induction 3,600 W 230 V		
22,000 XHI*/375 XLO	CF: BTU 18,000 high*3,000 low	RF: BTU 18,000 high*/375 XLO	3,300 W 208 V		Trende
PRD486WIGU	48" Stainless Steel w Porcelain Surface an All Telescopic Oven I	d		\$20,705	
 Six Pedestal Star[®] B Cooktop (Four with ExtraLow[®]) and fusion 	Non-stic	rface Electric Griddle k surface Electric convertible to Grill	with optional acces PA12GRILLW or PA		
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(6-pass)	RF: BTU 18,000 high*/375 XLO		Trends .
PRD486WDGU	48" Stainless Steel w Porcelain Surface an All Telescopic Oven I	ld		\$19,889	
 Six Pedestal Star[®] B Cooktop (Four with ExtraLow[®]) and fusion stick surface Indoor 	on non-	Grill	 Indoor Pro Electric convertible to Gride with optional acces PAGRIDDLEW 	dle	
LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO	CR: BTU 15,000 high*/3,000 low CF: BTU 18,000 high*/3,000 low	Electric Grill 1,630 W (6-pass 2x)	RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO		
PRD486WLGU	48" Stainless Steel w Porcelain Surface an All Telescopic Oven I	d		\$19,889	

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—DUAL-FUEL RANGES



* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number

Description

All Pro Grand[®] Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, nonstick
 - surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),
- · L.P. conversion kit ordered separately

- for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean

• Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion

and preheat status with audible alert Steam Oven features:

- 27 Easy Cook[®] programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function
- Warming drawer features:
- · Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note


- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-2)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.


NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—STEAM RANGES



^{* 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

All Pro Grand[®] Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base™ (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)

Griddle model:

 1,630 W electric element, thermostatically

controlled, non-stick surface coating, cast-aluminum

· Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- · NEW Gas ranges are now field convertible from natural gas to liquid propane-kits sold separately
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Oven features:

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easygrip handles
- Large oven:
- Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/L.P.)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 1/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- · Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/L.P.)
- · Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- · It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-2)
- · For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

Six Pedestal Star Burners

(Four with Extral	Low)			RF: BTU 00 high**/375 XLO	and -1 +-
LR: BTU 15,000 high**/3		CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/375 XLO		
LF: BTU 22,000 XHI**/37		CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/375 XLO		
PRG366WG	36" S	tainless Steel with Porcelain		\$12.112	Trendy

Surface and All Telescopic Oven Racks



PRG366WG

*According to AHAM Standards


**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



PRO GRAND[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—ALL-GAS RANGES AND ACCESSORIES

Model																										
Number		Descript	lon									UM	RP		MS	SRP										
																			48	3" A	4 11-	Ga	as	Ra	nç	je
	@	rners	Indoor P convertit	ro Electric G ble to Griddle	arill, e with														0,0				- 9 		n n	E.
LR: BTU CR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low Electric Grill 1,630 W LF: BTU CF: BTU (6-nass 2x)					15,	000	-	h*/3	375)	(LO																
				(6-pas	ss 2x)		18,		RF: higl		J 175)	(LO											Tivema	-		
PRG486WLG		48" Sta	ainless Steel w	ith Porcela	in									\$1	7,2	222		PRC	G48	6WL	.G					
		Surface	e and All Teles	copic Over	n Racks													C		- K	5		P			
Accessorie	ber Description ix Pedestal Star [®] Burners our with ExtraLow [®]) • Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle w optional PAGRIDDLEW LR: BTU 2,000 high'/375 XL0 15,000 high'/3,000 low IF: BTU 2,000 XHI'/375 XL0 Electric Gr 18,000 high'/3,000 low (6-pass 2) 4486WLG 48" Stainless Steel with Porcelain Surface and All Telescopic Oven Ra Cessories PA12GRILLW 12" Grill Plate Accessory w/ Tray (for Griddle Models) Non-stick (non-fusion) surface coating ("high- release") is easy to clean and durable over tir PAGRIDDLEW 12" Griddle Plate Accessory (for Briquette Grill Modules) PAGRIDLEW 12" Griddle Plate Accessory w/ Tray (for Grill Modules) PAGRIDLEW 12" Griddle Plate Accessory (for Briquette Grill Modules) PAGRIDLEW 12" Griddle Plate Accessory w/ Tray (for Grill Modules) PAGRIDLEW 12" Griddle Plate Accessory w/ Tray (for Grill Modules) PAGRIDLEW 12" Griddle Plate Accessory w/ Tray (for Grill Modules) PA12GRILFW 12" Grill Plate Accessory w/ Tray (for Gridle Models) PA12GRILFW 12" Grill Plate Accessory w/ Tray (for Griddle Models) Fusion coating) Fusion coated accessories of as an alternative to the "high-release" access							Dı	ual	Fu	əl						Ste	am	1			AI	I G	as	-	
Accessories							36	6"			48	3"		60	"		48	8"		60	"		36'		4	3'
						PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	
			Description		MSRP	PRD3	PRD3	PRD3	PRD3	PRD4	PRD4	PRD4	PRD4	PRD6	PRD6	PRD4	PRD4	PRD4	PRD4	PRD6	PRD6	PRG3	PRG 3	PRG 3	PRG4	
	PA12GR	ILLW	Accessory w	/ Tray	\$475				•		•		•	•			•		•	•	•		•		•	
		•			0																					
	PAGRID	<u>DLEW</u>	Accessory		\$475 Iles)			•				•	•		•			•	•		•			•		
	PAGRID	<u>LFW</u>	Accessory w	/ Tray	\$475			•				•	•					•	•		•			•		-
		-	•																							
	PA12GR	<u>ILFW</u>	Accessory w	/ Tray	\$475				•		•		•	•			•		•	•	•		•		•	
	TEPPAN	<u>1016</u>	Teppan-yaki for Induction		\$593	•				•						•										

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es						D	ual	Fu							Ste	an					I G		
					36	5"			48	3"		60)"		48	3"		6)"		36'		48	3"
	Model Number	Description	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PABRICKBKW	Flat Ceramic Briquettes with Basket	\$296			•				•	•		•			•						•		•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	\$148			•				•	•		•			•	•		•			•		•
	PA12CHPBLK	12" Maple Chopping Board	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release su coating	\$296 Irface	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TT	PA12LCVRW	12" Professional Griddle Cover	\$311				•		•		•		•		•		•		•		•		•	
T	PA12LCVRN	12" Cover Professional Indoor Grill	\$444			•				•	•		•			•	•		•			•		•
10 11	PA24CVRR	24" Cover for Griddle	\$444									•						•						
0 1	PA24CVRW	24" Cover for Grill/Griddle Combinatio Models	\$384 n								•		•				•		•					
0	PWOKRINGHC	Wok Ring Accessory	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es				-		D	ual	Fu	el						Ste	an	۱			AI	I G		
					3	6"			48	3"		60	u.		48	3"		60)"		36'	-	48	3"
	Model Number	Description	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
at 1	PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft to 10.2K ft	\$133	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	-	tude kit, please see the Cleane ce List in the Sales SharePoint		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
-	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Range	\$296 s	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
**** -	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	\$296																	•	•	•	•	•
	PAKNOBLUWG	Metallic Blue Pro Grand Knob Kit	\$384	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	<u>CS1XLPH</u>	Cooking Pan Perforated, half size, 1 %" de	\$296 eep											•	•	•	•	•	•					
	<u>CS1XLH</u>	Cooking Pan half size, 1 %" deep	\$296											•	•	•	•	•	•					
	CS2XLPH	Cooking Pan Perforated, full size, 1 %" de	\$296 eep											•	•	•	•	•	•					
	CS2LH	Baking Pan full size, 1 ¼" deep	\$296											•	•	•	•	•	•					
	CS2XLH	Cooking Pan full size, 1 %" deep	\$296											•	•	•	•	•	•					
	<u>CSRACKH</u>	Wire Rack	\$296											•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] Range	\$163	•	•	•	•													•	•	•		

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es						D	ual	Fu	el						Ste	eam	ı			AI	I G	as	
					36	6"			48	3"		60			48	3"		60)"		36'		48	3"
	Model Number	Description	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PA48WTKG	Toe Kick for 48" Pro Grand [®] Range	\$163					•	•	•	•			•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] Range	\$208									•	•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro Ranges	\$711 Grand [®]	•	•	•	•													•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand [®] Gas Ra	\$756 nges					•	•	•	•												•	•
	PA48WLBSG	7" Low Back, for 48" Pro Grand [®] Dual-fue Ranges	\$756 el											•	•	•	•							
	PA60WLBG	7" Low Backguard for 60" for Pro Grand $^{\circ}$ Ran	\$829 ge									•	•					•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

	rice lists. Prices listed he	rein do not include applicable state or local taxes.	
Model Number De	scription		MSRP
	Dual Fuel Ran age: each front 200 BTU (NG) asy-to-clean Burner with ble in Metallic Id separately. ic ignition/ abilities as low raLow [®] simmer	 ges Include the Following Features: Indoor Pro Electric Grill model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating For L.P.: Natural to L.P. Gas Field Conversion Kit must be ordered separately. Island trim included Two-year warranty Star-K certified Main oven features: Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa' Full Access[®] telescopic racks with integrated easy-grip handle (36" and 	 48" ovens: 3; 30" oven: 1) Hidden Thermal Bake (2,000 W), Broil (4,000 W), Third element rear 2,750 W convection Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean Secondary oven features: 18" auxiliary oven on 48" range only Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean 2,600 W broil and 1,400 W bake elements, 2.4 cu. ft. overall volume* Note Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

• 30" range features 4.4 cu. ft. overall volume*

LR: BTU RR: BTU 8,000 high** 8,000 high**/375 XLO Center: BTU 10,000 high*' LF: BTU RF: BTU 18,000 high**/375 XLO 15,000 high** PRD305WHU PRD305WHU 30" Stainless Steel with \$10,110 Porcelain Surface and One Telescopic Oven Rack • Four Pedestal Star[®] Burners • 30" range features 4.4 cu. ft. (Two with ExtraLow) overall volume* LR: BTU RR: BTU 15,000 high**/375 XLO 15,000 high**/3,000 low LF: BTU RF: BTU

PRD304WHU

*According to AHAM Standards

18,000 high**/375 XLO

suitable for use with the

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Porcelain Surface and One Telescopic Oven Rack

18,000 high**/3,000 low

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

30" Stainless Steel with

\$9,297

PRD304WHU

PRO HARMONY[®] SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number MSRP Description 36" Dual-Fuel Range Six Pedestal Star[®] Burners Connect™ overall volume* (Two with ExtraLow) Thermador Connected Oven features 4.9 cu. ft. Experience with Home LR: BTU CR: BTU RR: BTU 15,000 high**/375 XLO 15,000 high**/3,000 low 15,000 high**/3,000 low LF: BTU CF: BTU RF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low 18,000 high**/3,000 low 36" Stainless Steel with \$12.556 PRD366WHU PRD366WHU Porcelain Surface and All Telescopic Oven Racks Four Pedestal Star Burners Thermador Connected Non-stick surface Electric (Two with ExtraLow)) Experience with Home Griddle, convertible to Grill Connect™ with optional accessory Oven features 4.9 cu. ft. PA12GRILLW or PA12GRILFW overall volume* LR: BTU RR: BTU Electric Griddle 15,000 high**/375 XLO 15,000 high**/3,000 low 1.630 W LF: BTU RF: BTU (6-pass) 18,000 high**/375 XLO 18,000 high**/3,000 low PRD364WDHU \$13.370 36" Stainless Steel with PRD364WDHU Porcelain Surface and All Telescopic Oven Racks • Four Pedestal Star Burners Thermador Connected · Fusion non-stick surface (Two with ExtraLow[®]) Experience with Home Indoor Pro Electric Grill, Connect™ convertible to Griddle Oven features 4.9 cu. ft. with optional accessory overall volume* PAGRIDDLEW **BB: BTU** LB: BTU Electric Grill 15,000 high**/375 XLO 15,000 high**/3,000 low 1,630 W LF: BTU RF: BTU (6-pass 2x) 18,000 high**/375 XLO 18,000 high**/3,000 low PRD364WLHU 36" Stainless Steel with PRD364WLHU \$13.370 Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—DUAL-FUEL RANGES

Aodel Number	Description		MSRP	
				48" Dual-Fuel Rang
Thermador Connecte Experience with Hon Connect™	ne (Two with	stal Star [®] Burners ExtraLow [®]) n features 4.4 cu. ft. blume*	 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass)	RF: BTU 18,000 high**/3,000 low	PRD486WDHU
PRD486WDHU	48" Stainless Steel w Porcelain Surface an		\$18,187 n Racks	
Thermador Connecte Experience with Hon Connect™	ne (Two with	stal Star [®] Burners ExtraLow [®]) n features 4.4 cu. ft. blume*	 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill 1,630 W	RR: BTU 15,000 high**/3,000 low	PRD486WLHU
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass 2x)	RF: BTU 18,000 high**/3,000 low	
RD486WLHU	48" Stainless Steel w Porcelain Surface an		\$18,187 n Racks	
Thermador Connecte Experience with Hon Connect™ Four Pedestal Star [®] (Two with ExtraLow [®])	e overall vo • Fusion no Burners Indoor Pr convertib	n features 4.4 cu. ft. blume* on-stick surface ro Electric Grill, ble to Griddle onal accessory	PAGRIDDLEW Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill 1,630 W	Griddle 1,630 W	PRD484WCHU
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass 2x)	(6-pass)	
RD484WCHU	48" Stainless Steel w Porcelain Surface an		\$18,779 n Racks	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

	MSRP
 Indoor Pro Electric Gr. All burners with electronic ignition/ re-ignition Continuous porcelain, easy-to-clean cooking surface Patented Pedestal Star[®] Burner with QuickClean Base[™] Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-24) Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, 	 17,500 BTU high-intensity infrared broiler 17,500 BTU high-intensity infrared broiler Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1) Gas convection oven 20,500 BTU bake burner Convection Bake, Thermal Bake (20,500 BTU) Secondary oven features: 18" auxiliary oven on 48" range only Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean 2,600 W broil and 1,400 W bake elements, 2.4 cu. ft. overall volume* Note Professional-style ventilation is HIGHL' RECOMMENDED (see Thermador rod exclusive content; with other smart

LR: BTU 8,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO

PRG305WH

30" Stainless Steel with Porcelain Surface

RR: BTU 8,000 high** RF: BTU 15,000 high**

\$8,260



 Four Pedestal Star[®] Burners front burner has output of • 30" range features 4.6 cu. ft. (Two with ExtraLow®) each 18,000 BTU (NG) overall volume' LB: BTU **BR: BTU** 15,000 high**/375 XLO 15,000 high**/3,000 low LF: BTU RF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low PRG304WH 30" Stainless Steel with Porcelain Surface

Center: BTU 10,000 high**

> \$7,295 PRG304WH



* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Nodel Iumber Desc	ription	MSRF	,
			36" All-Gas Ran
Thermador Connected Experience with Home Connect™	 Six Pedestal Star[®] Burn (Two with ExtraLow[®]) 	• 36" range features 5.1 cu. ft. overall volume*	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	Trents
	Stainless Steel with Porcelain All Telescopic Oven Racks	Surface \$9,445	PRG366WH
Thermador Connected Experience with Home Connect™	 Four Pedestal Star[®] Bur (Two with ExtraLow[®]) ea front burner has output 18,000 BTU (NG) 	ach overall volume*	
LR: BTU 15,000 high**/375 XLO	Electric Griddle	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	1,630 W (6-pass)	RF: BTU 18,000 high**/3,000 low	PRG364WDH
	Stainless Steel with Porcelain S All Telescopic Oven Racks	Surface \$10,703	
Thermador Connected Experience with Home Connect™	 Four Pedestal Star[®] Bur (Two with ExtraLow[®]) ea front burner has output 18,000 BTU (NG) 	ach overall volume*	
LR: BTU 15,000 high**/375 XLO	Electric Grill	RR: BTU 15,000 high**/3,000 low	PRG364WLH
LF: BTU 18,000 high**/375 XLO	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low	
RG364WLH 36"	Stainless Steel with Porcelain	Surface \$10,703	


* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS

Model Number	Description			MSRP
All Professional	Series Rangetops Ir	clude the Following F	eatures:	
 Continuous porc cooking surface Patented Pedesi QuickClean Basi Each burner has re-ignition; Metal knobs (als 	celain, easy-to-clean tal Star [®] Burner with e [™] s electronic ignition/ so available in KNOBLUWR, sold	 LED downlightin trol panel. Precision simme 	g illuminates the con- rring capabilities as low two ExtraLow [®] simmer	 Note It is strongly recommended that this appliance be installed in conjunction with a Thermador[®] vent hood. (see Thermador[®] Professional Hoods, page 6-2) For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW for al units; PALPKITHW5 for five Pedestal Star[®] Burner units). No High Altitude conversion kit needed for Rangetops.
 Five Pedestal St (Two with ExtraL output of 59,000 Suitable for use Thermador OTR (see page 3-12) 	.ow [®]). overall el:) BTU. Fi with be (P Pe	or Liquid Propane mod- s: Natural to L.P. Gas eld Conversion Kit must ordered separately ALPKITHW5 for five edestal Star [®] Burner unit o High Altitude conversi	ts).	30" Professional Gas Rangeto Rangetops. PCG305W
LR: BTU 8,000 high*/37 LF: BTU 18,000 high*/3	75 XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high* RF: BTU 15,000 high*	
PCG305W	30" Stainless S Porcelain Surfa			\$4,821
				36" Professional Gas Rangeto
Six Pedestal Sta	ar [®] Burners (T	wo with ExtraLow [®]).	• 15 Amps	

LR: BTU CR: BTU RR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low 15,000 high*/3,000 low PCG366W CF: BTU LF: BTU RF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low 18,000 high*/3,000 low

PCG366W

36" Stainless Steel with **Porcelain Surface**




\$5,710

* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model



purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es								ony ang					o H Gas						Ra	nge	etop	os	
				30			36"			48"		3(36"	ì	48	_		;	36"		48	
	Model Number	Description	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) fusion) surface coating ("high- y to clean and durable over tir					•		•		•				•		•			•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Modules)	\$475					•		•	•					•		•			•			•
	• •	12" Griddle Plate Accessory w/ Tray (for Grill Modules)) Fusion coated accessories ternative to the "high-release"	\$475 ,					•		•	•					•		•			•			•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accessories o e to the "high-release" access					•		•		•				•		•			•			•	
	PABRICKBKW	Flat Ceramic Briquettes with Basket	\$296					•		•	•					•		•			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	\$148					•		•	•					•		•			•			•
	PA12CHPBLK	12" Maple Chopping Board	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates over two Burners high-release surface coating	\$296 ,	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
T	PA12LCVRW	12" Professional Griddle Cover	\$311				•		•		•				•		•			•			•	
T	PA12LCVRN	12" Professional Indoor Grill Cover	\$444					•		•	•					•		•			•			•
0 1	PA24CVRW	24" Cover for Grill/ Griddle Combination Model	\$384 s								•													

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es							arm el R						o⊦ Ga			-			Ra	nge	eto	ps	
				3		<u> </u>	36'		T Ì	48"		30			36"	_	48	-		;	36"	1	48	}"
	Model Number	Description	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		Wok Ring Accessory	\$296	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(c)	PAALTKITHW	High Altitude Kit, NG Pro Harmony Ranges, 5.4K ft to 10.2K ft	\$133	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	•	tude kit, please see the Cleane ce List in the Sales SharePoint		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
-	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Rar & Rangetops (4 & 6 Burner)	0		•	•	•	•	•	•	•									•	•	•	•	•
**** -	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fuel Ran & Rangetops (5 Burner)	\$208 iges	•															•					
\$5 ⁵ 5 5 -	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ranges (4 & 6 Burner)	\$296										•	•	•	•	•	•						
-	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	\$296									•												
	PAKNOBLUWH	Metallic Blue Knob Kit for Pro Harmony Ranges	\$384	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
do	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	\$357																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmon Range	\$623 у	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmon Range	\$711 y			•	•	•						•	•	•								


NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI 221.1 scope and are not certified by CSA. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es				F Dua		Ha [:] uel						Pro All (arn s Ra					Ra	nge	etop	os	
				30)"	;	36"			48"		30)"	3	36"		48	3"		;	36"		48	3"
	Model Number	Description	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harm Range	\$756 iony						•	•	•						•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	\$311																•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	\$399																	•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	\$475																				•	•

Thermador[®] VENTILATION



, ,	previous price lists. Prices listed he	erein do not include applicable :	state or local taxes.	
Model Number	Description			MSRP
All Wall Hoods Ind	clude the Following Fe	eatures:		
 Beautiful illumina LED lights 	tion with multi-level,		e detects temperatures eed automatically	Accessory options available Built-in remote control panel, sold
 Dishwasher-safe stainless steel ba 	,	 10-min delay she lingering odors 	ut off whisk away	separate (see page 6-4)
panel that provid	smooth touch control es precise perfor- with 4-speed levels	 Check filter reminant after 40 hours of 	nder light illuminates operation	
All Professional W	/all Hoods Include the	ese Additional Featu	ures:	
	to your kitchen with eel wall hoods with		4" tall telescopic duct options available, sold	 Make-up air damper relay switch (120 V max)
design that echoor details of your Th	Ũ	separate (see paBlower options s	o ,	 Transition to 10" round and backdraft damper included
 Powerfully Quiet[®] system accepts in remote blowers 	optional blower ntegral, inline, and		plete install. Works with wers, sold separately	 Accessory options available Duct cover accessory options (see page 6-4)
 Vertical or horizon possible 	ntal ducting discharge	Integral VTN630W ¹ VTN1090B	Remote VTR630W ¹ VTR1030W	 Remote blower roof plates (see page 6-5)
			VTR1030W VTR1330W	 25-ft remote & inline blower extension cable (see page 6-5)

Pro Grand[®] Wall Hood

 Equipped with the Th Connected Experienc Home Connect™ Adds distinct flair to ye kitchen with bold, stainless st 	ermador wall hoods with design that e by echoes the thoughtful details of your Thermador kitchen our Crafted to complete the ulti- mate	Grand [®] Professional Ranges Pro-style 27" depth, 18" tall Two infrared,175 W, Keep-Hot lamps (included)	PH36GWS
PH36GWS	36" Pro Grand [®] Wall Hood, Optional Blower	\$3,496	
PH42GWS	42" Pro Grand $^{\circ}$ Wall Hood, Optional Blower	\$3,644	
PH48GWS	48" Pro Grand [®] Wall Hood, Optional Blower	\$4,089	
PH54GWS	54" Pro Grand $^{\circ}$ Wall Hood, Optional Blower	\$4,385	
PH60GWS	60" Pro Grand [®] Wall Hood, Optional Blower	\$5,495	

Pro Harmony[®] Wall Hood

 Adds distinct flair to y kitchen with bold, stainless s wall hoods with designation 	teel • A perfect companion to	RangesPro-style 24" depth, 18" tallCommercial-style stainless steel baffle filters	PH36HWS
PH30HWS	30" Pro Harmony® Wall Hood, Optional Bl	ower \$3,052	
PH36HWS	36" Pro Harmony $^{\circ}$ Wall Hood, Optional Bl	ower \$3,200	
PH48HWS	48" Pro Harmony $^{\circ}$ Wall Hood, Optional Bl	ower \$3,496	

VTI610W¹ VTI1010W

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Professional Series

WALL HOODS

Model Number	des all previous price lists. F Descriptio	Prices listed herein do not include applicable state o n	r iocai taxes. MSI	RP						
Professional Series Blowers				F	Professional			Masterpiece		
				Wall	Chimney Wall	Island	Custom Insert	Custom Insert		
	Number	Model Description	MSRP	PHxxxWS	HPCNxxWS	HPINxxWS	VCIN××GWS	VCI2xxDS	UCVMxxRS	UCVP36XS
Integral Blow										
-	nto ventilation hoo	d at the time of installation	n							
	<u>VTN630W</u>	600 CFM Integral Blower	\$1,056	•	•	•	•			
	<u>VTN1090R</u>	1,000 CFM Blower	\$1,363	•	•	•	•			
Inline Blower	'S									
tion for VCl2 tom hood in site for addi • Blower can	d as integral solu- 2xxDS Series cus- serts. See web- tional details be mounted along between the	 kitchen and the exterior wall 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-21) 	 For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods 							
	<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	\$1,056	•	•	•	•	•	•	•
	<u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	\$1,363	•	•	•	•	•	•	•
Remote Blow	/ers									
mount appl		• 25 ft. cable (EXTNCB25W) available for remote blower applications—sold sepa- rately (see page 6-21)	• For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods							
	<u>VTR630W</u>	600 CFM Remote Blower, 6" du	uct size \$1,251	•	•	•	•	•	•	•
0	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10'	' duct size \$1,314	•	•	•	•	•	•	•
DC	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct siz	ze \$1,655	•	•	•	•	•	•	•
		SH Home Appliances Corporation's proprietary and nt of BSH Home Appliances Corporation is strictly								

WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Professional and Maste	rofessional and Masterpiece [®] Accessories		Pro Grand	Pro	Ma	sterpiece
			Wall	Wall		Low Profile
Model Number	Description	MSRP	PH36GWS PH42GWS PH48GWS PH54GWS	H30HW H36HW H48HW	HMDW30WS HMDW36WS	HMWB30WS HMWB36WS HMWB361WS HMWB481WS

Optional Stainless Steel Duct Cover

 Available in 6" and 20"–54" telescoping heights

Can be used with PHxxxWS Pro Grand[®] and Pro Harmony[®] Series Wall Hoods

	<u>DC306W</u>	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	\$696					•			•		•			
	DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	\$726	•					•			•		•	•	
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	\$741		•											
	<u>DC486W</u>	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	\$741			•				•						
	DC36TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 36" Wide	\$977	•				•				•		•	•	
	DC48TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 48" Wide	\$1,067			•				•						
Built-In Remo	ote Control															
 Ability to ve on cabinetry control hood nient location Built-in slee 	rtically install / or wall to d in a conve- on	 Compatible with PHxxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HMCBxxWS, HDDBxxWS, HPINxxWS, HMIBxxWS, VCINxxGWS, and HMDW hoods Wired to h Cable leng 														
1	REMCPW	Built-In Remote Control Accessory	\$475	•	•	•	•	•	•	•	•	•	•	•	•	•
Recirculation	Accessories															
 For non-duo Wall Hoods 	cted operation of	Thermador [®] • Available for HMWB3xWS Wall Hoods with 600 CFM														
	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	\$163										•	•		

WALL HOODS

edes all previous price lists. F	Prices listed herein do not include applicable state or	local taxes.								
Descriptio	n	MSR	>							
d Duct Accesso	ries			Pro	o Gr	and	ł			
					Wa	11		\ \	Nal	
			DLARCANS	PH42GWS	PH48GWS	PH54GWS	PH60GWS	PH30HWS	PH36HWS	PH48HWS
ine Blower Extens	ion Cable									
nsion cable for use bod and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods 	 For use with blow- ers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W 								
	Cannot join two cables together for longer length.									
EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$17	3	•	•	•	•	•	•	•
plate required for ro	pof-mount application of remote bl	owers.				,				
RFPLT600P	Roof mounting plate for VTR630W and VTR630W	\$19	3	•	•	•	•	•	•	•
RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR103	* -	⁵	•	•	•	•	•	•	•
	Descriptio	Description d Duct Accessories ine Blower Extension Cable usion cable for use bod and inline or wer • Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods • Cannot join two cables together for longer length. EXTNCB25W 25-ft Remote & Inline Blower Extension Cable Date required for roof-mount application of remote black RFPLT600P Roof mounting plate for VTR630W and VTR630W RFPLT1000P Roof mounting plate for	Ine Blower Extension Cable • Supports PHxxxWS, Ision cable for use bood and inline or wer • Supports PHxxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods • For use with blow-ers VTI610W, VTI1010W, VCINxxGWS series hoods • VTR630W, VTR1030W, • Cannot join two cables together for longer length. • VTR630W EXTNCB25W 25-ft Remote & Inline Blower Extension Cable \$175 plate required for roof-mount application of remote blowers. \$193 RFPLT600P Roof mounting plate for VTR630W \$193	Description MSRP d Duct Accessories Image: Comparison of the second	Description MSRP I Duct Accessories Product Accessories Ine Blower Extension Cable Product Accessories Ine Blower Extension Cable • For use with blow- ers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W EXTNCB25W 25-ft Remote & Inline Blower Extension Cable EXTNCB25W 25-ft Remote & Inline Blower Extension Cable Product Accessories \$178 Image: Product Accessories \$193 Image: Product Accessories \$236	Description MSRP I Duct Accessories Pro Gr Ime Blower Extension Cable Ime Blower Extension Cable Ission cable for use, bood and inline or wer • Supports PHxxxWS, HPINxxWS, UCVMxXS, UCVP36XS and VCINxxGWS series hoods • For use with blow-ers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1040W,	Description MSRP d Duct Accessories Pro Grand Image: state stat	Description MSRP d Duct Accessories Pro Grand Image: state stat	MSRP Pro Grand Hat Wait Note of the second s	Description MSRP d Duct Accessories Pro Grand Pro Harmon Val Pro Grand Pro Val ine Blower Extension Cable Supports PHxxWS, HPCNxxWS, HPINxxWS, UCVMxxS, UCVP36XS and VCINxxGWS series hoods • Cannot join two cables together for longer length. • For use with blow- ers VTI610W, VTI1010W, VTR1330W EXTINCB25W 25-ft Remote & Inline Blower Extension Cable • For use with blow- ers VTI610W, VTI1030W, VTR1330W • I I I I I I I I I I I I I I I

WALL HOODS

This price list supersedes all prev Model Number	ious price lists. Prices listed herein do not include applicable a	tate or local taxes. MSRP
 All Masterpiece[®] Wall Equipped with the T Connected Experien Connect[™] A perfect compleme Thermador Masterpion 	ent to the sleek • Cooldan Hone	 Vertical ducting direction Integral blower included Convertible to recirculation, accessory
Deserve Under Ochine		Masterpiece [®] Series
 Drawer Under Cabine A masterful blend of and performance wir out canopy design When the slide-out of is pushed back, it si 	Iuxuryagainst surrounding cabinth a slide-try, and when pulled forwaincreases capture areacanopy• Fan can be activated in th	rd included • Transition to 8" round and HMDW36WS
HMDW30WS	30" Masterpiece [®] , Under Cabinet Drawer Wall Hood, 600 CFM	\$2,904
HMDW36WS	36" Masterpiece [®] , Under Cabinet Drawer Wall Hood, 600 CFM	\$3,052
 Low-Profile Wall Hood Chiseled design that depth, 11" tall Approved for use wi Professional Series I and Rangetops 	t is 24" • 16" tall and 28"–65" tall telescopic duct cover th th	THINDOONO
HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	\$2,755
<u>HMWB36WS</u> HMWB361WS	36" Low-Profile Wall Hood, 600 CFM 36" Low-Profile Wall Hood, 1000 CFN	\$2,904 I \$3,052
HMWB481WS	48" Low-Profile Wall Hood, 1000 CFN	\$3,200

Nodel Number	Descriptio	n	MSRP					
Masterpie	ce [®] Series Acces	ssories			Mas	terp	oiec	e
				Dra	wer	Lo	w F	rof
				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS
Recirculatio	n Accessories							
kit brings f kitchen Replace ch	ing is not feasible, iltered air back into narcoal filter every s depending on	usage Charcoal filter replacement accessory available (see below) Installation Note: RECHMWB30 and RECHMWB36 are brushed 	stainless steel, and adds 4" height to the appliance. Approved for use with HMWB30WS and HMWB36WS Low-Profile Series Wall Hoods with 600 CFM blowers only					
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	\$1,037			•		
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	\$1,110				•	
	RECHMDW30	Recirculation Kit for Masterpiece [®] I Under Cabinet Drawer Hood, 30" V		•				
	RECHMDW36	Recirculation Kit for Masterpiece® I Under Cabinet Drawer Hood, 36" V			•			
	CHFHMDW30	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 30" V	\$148 Vide	•				
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 36" V	\$148 Vide		•			
	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	\$163	•		•	•	
Optional Sta	ainless Steel Duct (Cover						
Available in telescoping	n 16" and 20"-54" g heights	 Can be used with Low-Profile HMWBxxWS Series Wall Hoods 						
	DCT3016W	16" Tall Duct Cover for Low-Profile 30" Wide	Wall Hood, \$962			•		
	DCT3616W	16" Tall Duct Cover for Low-Profile 36" Wide	Wall Hood, \$977				•	•
	DCT4816W	16" Tall Duct Cover for Low-Profile 48" Wide	Wall Hood, \$1,007					
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	\$1,110			•		
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	\$1,125				•	•
	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	\$1,155					

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed he	erein do not include applicable state or local taxes.		
Model Number Description		MSRP	
All Chimney Wall Hoods include the follo	wing features:		
 Beautiful illumination with multi-level, LED lights Dishwasher-safe filters Recessed sleek, smooth touch control panel that provides precise perfor- mance selection with 4-speed levels 	 Automatic mode detects temperatures to adjust fan speed automatically 10-min delay shut off whisk away lingering odors 	after 40 hours c Vertical ducting 	•
All Professional Chimney Wall Hoods inc	lude these Additional features:		
 Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops Sculpted brushed stainless steel Creates a focal point in the room with a 	 Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers 	required to com the following bl (see page 6-3). Integral VTN630W	sold separate and plete install. Works with owers, sold separately Remote VTR630W
more contemporary-style feel Make-up air damper relay switch (120 V max)	 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold sepa- 	VTN1090R Inline VTI610W VTI1010W	VTR1030W VTR1330W
 Transition to 10" round and backdraft damper included 	 rate (see page 6-10) Built-in remote control panel accessory available, sold separate (see page 	Accessory optionsRemote blower	
 Duct cover accessory options available, sold separate (see page 6-10) Pro-style 24" depth, 18" tall 	6-5)	page 6-5) 25-ft remote & i cable (see page) 	inline blower extension e 6-5)

Pro Grand[®] Chimney Wall Hood

Pro Grand [®] Chimney V	Vall Hood		
HPCN36WS	36" Professional [®] Chimney Wall Hood, Optional Blower	\$4,089	and the second sec
HPCN48WS	48" Professional [®] Chimney Wall Hood, Optional BlowerPro	\$4,830	HPCN36WS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Professional Series

This price list supersedes all pre					
Model Number	evious price lists. Prices listed he Description	rein do not include applicable state or local taxes.	MSRP		
			WOTI		
-	-	lude these Additional features:			
 Equipped with the Connected Experie Connect™ A perfect complem Thermador Mastern tops Brushed stainless s Serves as the focal and can add a mode Cooktop Hood-Syn 	nce by Home ent to the sleek biece [®] Series cook- steel point of the room lern feel	 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings Built-in remote control panel accessory available, sold separate (see below) Transition to 8" round and backdraft damper included Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-11) 	 Hybrid mesh filters with stainles frame Vertical ducting direction Built-in remote control panel ac sory available, sold separate (see Control panel action) 		
				Masterpiece [®] Series	
and performance with unique slide-out canopy design that can be pushed back for increased head room or pulled forward for increased HDDB30WS 30" Masterpiece [®] 600 CFM		rre area be activated whether in pen or closed position e Control Deluxe™ Drawer Chimney Wall Hood, Drawer Chimney Wall Hood,	\$3,793 \$4,089	HDDB30WS	
	600 CFM			_	
 Pyramid Chimney W Streamlined, content low-profile design w pyramid canopy he 	mporary, • Noise with 5"	e Control Technology™			
	30" Masterpiece®	Pyramid Chimney Wall Hood,	\$3,200	HMCB30WS	
HMCB30WS	600 CFM				

CHIMNEY WALL HOODS

This price list sup Model Number	ersedes all previous price lists. I Model Number Descriptio	Prices listed herein do not include applicable state or local taxes.	UMRP	MSRP						
Number	Number Descriptio	Description	UMRP	MSRP						
Accesso	ries				Р	ro	Μ	laste	rpiec	e
					W	all			W	all
									(0	(0)
					6WS	8WS	SWO	6WS	SWO	SW9
					HPCN36WS	HPCN48WS	HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS
					H	H	Н	Н	Η	Ĩ
	Inline Blower Extens									
	tension cable for use hood and inline or blower	HPCNxxWS, HPINxxWS, ers VTI	e with blow- 610W, VTI1010 DW, VTR1030W 30W							
		Cannot join two cables together for longer length.								
10	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable		\$178	•	•				
Duct Cove	r									
tall teles	e in 6" tall, 18"–35" copic, and 42"–59" copic heights	 Can be used with HPCNxxWS Professional Series Chimney Wall Hoods 								
	CHMHP366W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid	e	\$741	•					
	CHMHP486W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid	е	\$756		•				
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid	e	\$962	•					
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid	e	\$977		•				
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid		\$1,067	•					
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid		\$1,097		•				

* Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

CHIMNEY WALL HOODS

Model	edes all previous price lists.								
Number	Descripti	on	MSRP						
				I	I				
Accessori	es			Р	ro	Μ	aste	rpied	e
				W	all			W	all
				SWS	3WS	HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS
				HPCN36WS	HPCN48WS	DB3(DB3(CB3	CB3
				HP(HP(HDI	IDH	ЙН	ЙН
Chimney Wa	III Hood Extension	n Kits							
	teel telescopic xtension for 9-ft to								
12-ft tall ce									
F									
	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece [®] Chimney Drawer Hood	\$859			•	•		
		HDDDXXW3 Wasterpiece Chimney Drawer Hood							
(335) 1* 802)									
802) 5 ¹ /2* 657) 33 ⁷ /a*	CHXTHMCB	9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	\$859					•	•
(860)		nincoxxws masterpiece Pyramid Chimney nood							
Chimney Wa	II Hood Recirculat	tion Accessories							
	ting is not feasible,								
kit brings f into kitche	iltered air back n	3–6 months depending on accessory available usage below)	(see						
	DECUDDD		¢000						
	RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	\$236			•	•		
	RECHMCB	Recirculation Kit for Masterpiece®	\$236						
		HMCBxxWS Chimney Wall Hood	φ200					•	•
	CHFHMCD	Replacement Charcoal Filters	\$163						
		For Masterpiece [®] HMCB, HDDB,	φ103			•	•	•	•
		HMIB Recirculation Kit							

ISLAND HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

• Powerfully Quiet[®] optional

blower system accepts

blowers

to 9' height

custom height

integral, inline, and remote

· Transition to 10" round and backdraft damper included

For ceiling applications of 8'

· May require fabrication for

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect™
- · Beautiful illumination with multi-level, LED lights
- · Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- · Automatic mode detects temperatures to adjust fan speed automatically

(see page 6-3).

Remote

VTR1030W

VTR1330W

Integral

Inline

6-5)

VTN630W,

VTN1090R

VTI610W

VTI1010W

(see page 6-5)

Accessory options available

· Remote blower roof plates

25-ft remote & inline blower

extension cable (see page

- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction

MSRP

Built-in remote control panel acces-• sory available, sold separate (see page 6-4)

Professional Series

Box Island Hoods

- · A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- · Designed and engineered to match in design and performance with Thermador **Professional Series ranges** and range tops
- Sculpted brushed stainless • steel
- Unique angled box canopy island hood design
- · Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

HPIN42WS	42" Professional [®] Island Hood, Optional Blower	\$5,161
HPIN54WS	54" Professional [®] Island Hood, Optional Blower	\$6,050

· Blower options sold separate and required to complete install. Works with the following blowers, sold separately HPIN42WS **VTR630W**

ISLAND HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MSRP							
Number	Descriptio	Description					
				Masterpiece [®] Series			
Low-Profile Isla	and Hood			1000			
0	sculpted, ess steel island the eye without ews nplement to asterpiece [®] ps	 Cooktop Hood-Sync Enabled Noise Control Deluxe[™] 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings Transition to 8" round and 	 backdraft damper included Convertible to recirculation, accessory sold separate (see page 6-14) Accessory options available Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-14) 	HMIB36WS			
HMIB36WS	36" Mas 600 CFN	terpiece [®] Box Island Hood, 1	\$4,569				
HMIB42WS	42" Mas 600 CFM	terpiece [®] Box Island Hood, I	\$4,717				

ISLAND HOODS

Model	iseues all previous price lisis. P	Prices listed herein do not include applicable state or l	ocal taxes.					
Number	Description	n		MSRP				
Accessor	ies				P	ro		
					В	ox	Low F	Profile
					HPIN42WS	HPIN54WS	HMIB36WS	HMIB42WS
Remote & I	nline Blower Extens	ion Cable						
	ension cable for use nood and inline or ower	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods Cannot join two cables together for longer length. 	 For use with blow- ers VTI610W, VTI1010W VTR630W, VTR1030W, VTR1330W 	V,				
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable		\$178	•	•		
Low-Profile	Island Hood Extens	sion Kit						
	steel telescopic extension for 9-ft to ceilings	 Compatible with HMIBxxWS Masterpiece[®] Island Hood 						
chimney e	extension for 9-ft to			1,037			•	•
chimney e 12-ft tall o	CHXTHMIB	Masterpiece [®] Island Hood 9'–12' Ceilings Chimney Extensio		i1,037			•	•
chimney e 12-ft tall o Low-Profile • When duo kit brings kitchen	CHXTHMIB Island Hood Recirc	Masterpiece [®] Island Hood 9'–12' Ceilings Chimney Extension HMIBxxWS Masterpiece [®] Island Fulation Accessories • Compatible with HMIBxxWS Masterpiece [®] Island Hood • Charcoal filter replacement		51,037			•	•
chimney e 12-ft tall o Low-Profile • When duo kit brings kitchen • Replace o	CHXTHMIB	Masterpiece [®] Island Hood 9'–12' Ceilings Chimney Extension HMIBxxWS Masterpiece [®] Island sulation Accessories • Compatible with HMIBxxWS Masterpiece [®] Island Hood		51,037			•	•
chimney e 12-ft tall o Low-Profile When duckit brings kitchen Replace o 3–6 mont	CHXTHMIB Island Hood Recirc ting is not feasible, filters air back into charcoal filter every	Masterpiece [®] Island Hood 9'–12' Ceilings Chimney Extension HMIBxxWS Masterpiece [®] Island Indiation Accessories • Compatible with HMIBxxWS Masterpiece [®] Island Hood • Charcoal filter replacement accessory available (see	Hood	\$236			•	•
chimney e 12-ft tall o Low-Profile • When duc kit brings kitchen • Replace o 3–6 mont	Extension for 9-ft to ceilings CHXTHMIB Island Hood Recirc cting is not feasible, filters air back into charcoal filter every ns depending on	Masterpiece [®] Island Hood 9'–12' Ceilings Chimney Extension HMIBxxWS Masterpiece [®] Island ulation Accessories • Compatible with HMIBxxWS Masterpiece [®] Island Hood • Charcoal filter replacement accessory available (see below) Recirculation Kit for Masterpiece	Hood				•	•

CUSTOM INSERTS

Nodel Number	Description			MSRP	
All Custom Inserts in	nclude the follow	 Blower options sold s required to complete the following blowers (see page 6-3). 	install. Works with	Integral VTN630W VTN1090R Inline VTI610W ¹ , VTI1010W	Remote VTR630W VTR1030W VTR1330W
Custom Insert Hood Equipped with the Connected Experie Home Connect™ Revel in creative fm with custom inserts you choose to bler with your surround netry or create a st piece with bold ma Crafted to complet ultimate cooking sy Thermador Profess ranges and rangeto Brushed stainless stee filters Beautiful illumination	Thermador ence by eedom s, whether nd them in ing cabi- tatement tterials e the ystem with sional ops steel ommercial- e baffle	multi-level, LED lights Recessed sleek, smooth touch control panel that pro- vides precise performance selection with 4-speed levels Automatic mode detects temperatures to adjust fan speed automatically 10-min delay shut off whisk away lingering odors Check filter reminder light illuminates after 40 hours of operation Make-up air damper relay switch (120 V max)	 Powerfully Quiet[®] blower system ac gral, inline, and re ers Includes custom to complete custo installation Transition to 10" backdraft dampe Built-in remote co accessory availab separate (see page Accessory options a Remote blower (see page 6-5) 25-ft remote & extension cable 6-5) 	ccepts inte- emote blow- hood trim om insert round and r included ontrol panel ble, sold ge 6-16 <i>vailable</i> r roof plates inline blower	Image: Constraint of the second of the se
/CIN36GWS		onal [®] Custom Insert, Optional		\$2,755	
/CIN42GWS		onal [®] Custom Insert, Optional		\$2,904	
/CIN48GWS	48" Professi	onal [®] Custom Insert, Optional	Blower	\$3,052	
/CIN54GWS	54" Professi	onal [®] Custom Insert, Optional	Blower	\$3,200	
/CIN60GWS	60" Professi	onal [®] Custom Insert, Optional	I Blower ^{<? >}	\$3,348	
					Masterpiece [®] Serie

30" Custom Insert

 Approved for use with Professional Series Ranges and Rangetops Optional baffle filters for pro- fessional performance 		Halogen lightsElectronic controlsDelayed shut offFilter change light	 Wired remote control optional (VCI2REMFS, see page 6-16) Protect cabinetry with Liner accessory², sold separately (see page 6-16) 	VCI230DS	
VCI230DS	30" Cust	om Insert	\$1,718		
VCI236DS 36" Custom Insert			\$1,866		
VCI248DS	48" Cust	om Insert	\$2015		

CUSTOM INSERTS

	edes all previous price lists. F	Prices listed herein do not include applicable state or l	ocal taxes.									
Model Number	Description	n		MSRP								
Accessorie	es						Pro			Mas	terp	iec
					VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS	VCI230DS	VCI236DS	VCI248DS
Remote & Inl	ine Blower Extens	ion Cable										
	sion cable for use ood and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods Cannot join two cables 	 For use with blow- ers VTI610W, VTI1010V VTR630W, VTR1030W, VTR1330W 									
		together for longer length.										
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable		\$178	•	•	•	•	•			
Remote Cont	rol											L
 Sleek new design remote control for Masterpiece[®] Series Custom Inserts 		 Can be installed on wall, cabinet, or countertop Wired to hood 	Cable length: 13 ft.									
CCCCCCCCCCC	VCI2REMFS	Remote Control Accessory for VCI2xxDS series		\$444						•	•	•
Baffle Filters												
Stainless stLow profile		Dishwasher safe	Use only with Masterp Series Custom Inserts	iece®								
	BAFFLT30	30" Baffle Filter for VCI230DS		\$296						•		
	BAFFLT48	48" Baffle Filter for VCI248DS		\$444						•	•	
Liners												
 with stainless steel liners Use only with Masterpiece[®] be prepared 		 Installation Note: Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert 	Hood (as opposed to o the Insert Hood) when a Liner in combination an Insert Hood.	using								
	LINER30	Liner for 30" VCI230DS		\$444								
	LINER36	Liner for 36" VCI236DS		\$444						•	•	•
												6

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number MSRP Description All Downdrafts include the following features: · Designed for installation with all · Downdraft transitions may be required · Filter maintenance reminder light Thermador[®] cooktops except to complete the installation depending • Automatic mode Professional Series on exhaust direction & blower chosen: · Recirculation possible with electric [see page 6-20] · All models feature six possible disand induction cooktops. Accessory CVTSIDE6 CVTRECT2 charge connections including front, Sold Separately (UCVRECIRC see page CVTSIDE8 **CVTFRONT6** side, down, and rear as well as recircu-6-18) CVTSIDE10 **CVTFRONT8** lation Required To Complete The Installation: CVDUCT2 CVTFRONT10 Stainless steel Blower Options, Sold Separately. Works Sleek, removable front filter panel with the following blowers, sold sepa-Accessory options available design that act as a splatter shield rately Gas cooktop seal kit sold separately, (see page 6-3). required for installation with gas cook-Dishwasher safe mesh filters tops (UCV30ST, UCV36ST [see page Integral Remote Three speeds **VTD600P VTR630W** 6-18) Convenient 10-minute time-delay shut-VTR1030W see page 6-19 • 5' electrical panel extension cable off feature Inline VTR1330W (used to relocate electrical box) for **VTI610W** front VTI1010W downward discharge installations, sold separately (EXTNCE5 [see page 6-21]) 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-21) Masterpiece[®] Series **Downdraft Ventilation System** NEW UCVM30XS 30" Masterpiece® Downdraft \$2,476 15" Snorkel, Optional Blower UCVM30XS NEW UCVM36XS 36" Masterpiece® Downdraft \$2,772 15" Snorkel, Optional Blower UCVM36XS

NEW UCVP36XS 36" Masterpiece[®] Downdraft, Deluxe \$3,217 18" Snorkel, Optional Blower LED Task Bar Lights NOTE: Transition required and sold separately for all remote and inline blower installations.

UCVP36XS

Downdraft Recirculation Kit				
 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island applications When ducting is not feasible, kit brings filtered air back into kitchen after passing through a charcoal filter To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/socket area 	 Fits in toe-kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
UCVRECIRC Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP3 downdrafts only. VTD600P Blowd required, sold separately. Replace every 3-6 months depending on	er ce filters	•	•	•
UCVFILTER Charcoal filter replacement For use with UCVRECIRC recircu	\$163 ulation kit (above)	•	•	•
Gas Cooktop Seal Kit				
 For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS Gas cooktops 	 Includes trim bracket, seal, and 2 metal grills 		1 1	

-	UCV30ST	30" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	\$193	•	•	•
	UCV36ST	36" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	\$193	•	•	•

Number Description MSRP		s all previous price lists. F	Prices listed herein do not include applicable state or loca	al taxes.			
Integrated Blower Integrated Blower Image: Second	Model Number	Descriptio	n	MSRP			
VIDSOOP 600 CFM, 8" duct size flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only • • Inline Blowers • • • • • May be used as integral solution for VCI2xXDS Series custom hood inserts. See website for additional details • wall • For use with Thermador PHxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCIxxDS, UCVM36XS, UCVP36XS Series ventilation hoods • Blower can be mounted along the duct line between the kitchen and the exterior • • For use with Thermador PHxxWS, HPCNxxWS, HPCNxWS, HPINxxWS, VCINxxGWS, VCIxxDS, UCVMXRS, and UCVP36XS Series ventilation hoods VII1610W 600 CFM Inline Blower, 6" duct size \$1,056 • VII1010W 1,000 CFM Inline Blower, 10" duct size \$1,363 • For external roof or wall mount • 25 ft. cable (EXTNCB25W) available for remote blower applications – sold separately (see page 6-21) • For use with Thermador PHxxXWS, HPCNxWS, VCI2xxDS, UCVMxxGWS, VCI2xxDS, UCVMxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods	Components	3			UCVM30XS	UCVM36XS	UCVP36XS
flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only • • • Inline Blowers • • • • • May be used as integral solution for VCI2xXDS Series custom hood inserts. See website for additional details • wall • • • • Blower can be mounted along the duct line between the kitchen and the exterior • vall • • • • Diver can be mounted along the duct line between the kitchen and the exterior • • • • • • VT1610W 600 CFM Inline Blower, 6" duct size \$1,056 • • • • VT1610W 600 CFM Inline Blower, 10" duct size \$1,363 • • • • Pro use with Thermador publications—sold separately (see page 6-21) • 1,000 CFM Inline Blower, 10" duct size \$1,363 • • • Of mounting plate (RFPLTxxP) required for roor mount applications—sold separately (see page 6-21) • 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) • • • • • • • • • • • • • • •	Integrated Blow	wer				I	
 May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details. Blower can be mounted along the duct line between the kitchen and the exterior WTI610W 600 CFM Inline Blower, 6" duct size VTI610W Moto CFM Inline Blower, 6" duct size \$1,056 \$1,056 \$1,000 CFM Inline Blower, 10" duct size \$1,363 \$1,000 CFM Inline Blower, 10" duct size \$1,25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (EXTNCB25W) (see page 6-21) \$1,000 CFM Inline Blower, 10" duct size \$1,26 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (EXTNCB25W) (see page 6-21) \$25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) available for remote blower applications—sold separately (see page 6-21) \$25 ft. cable (STNCB25W) ava		VTD600P	flexible integrated blower		•	•	•
solution for VCI2xxDS Series custom hood inserts. See website for additional details • Blower can be mounted along the duct line between the kitchen and the exterior • Comparison VTI610W • Comparison • Compari	Inline Blowers				1	1	
VTI1010W 1,000 CFM Inline Blower, 10" duct size \$1,363 • • Remote Blowers • • • • • • For external roof or wall mount • 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) •<	solution for V custom hood website for ac Blower can be along the duc	CI2xxDS Series inserts. See dditional details e mounted ct line between	• 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately	PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series ventilation			
Remote Blowers • For external roof or wall mount • Roof mounting plate (RFPLTxxP) required for roof mount applications – sold separately (see page 6-21) • Construction of the separately (see page 6-21) • For use with Thermador PHxxXWS, HPCNxXWS, HPINxXWS, VCINxXGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods		<u>VTI610W</u>	600 CFM Inline Blower, 6" duct siz	ze \$1,056	•	•	•
 For external roof or wall mount 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) For use with Thermador PHxxXWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods 		<u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct	t size \$1,363	•	•	•
mount available for remote blower applications—sold separately (RFPLTxxP) required for roof mount applications—sold separately (see page 6-21) PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods	Remote Blower	rs					
VTR630W 600 CFM Remote Blower, 6" duct size \$1,251 • • • •	 Roof mountin (RFPLTxxP) re mount applica 	ng plate equired for roof ations-sold	available for remote blower applications-sold separately	PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and			
		<u>VTR630W</u>	600 CFM Remote Blower, 6" duct	size \$1,251	•	•	•
VTR1030W 1,000 CFM Remote Blower, 10" duct size \$1,314 • • • •		VTR1030W	1,000 CFM Remote Blower, 10" du	uct size \$1,314	•	•	•
VTR1330W 1,300 CFM Blower, 10" duct size \$1,655 • • • •		VTR1330W	1,300 CFM Blower, 10" duct size	\$1,655	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

MSRP

UCVM30XS UCVM36XS UCVP36XS

Components

Downdraft Transitions

Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) • For use with inline and remote blowers

	CVTSIDE6	6" side/rear transition \$296 Rectangular 1 %"x19" transition to 6" round for side and rear exhaust applications	•	•	•
-0	CVTSIDE8	8" side/rear transition \$296 Rectangular 1 % "×19" transition to 8" round for side and rear exhaust applications	•	•	•
-6	CVTSIDE10	10" side/rear transition\$296Rectangular 1 % "×19" transition to 10" round forside and rear exhaust applications	•	•	•
0	CVTFRONT6	6" round front plate \$148 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT8	8" round front plate \$148 Front rough-in plate for front downward exhaust applications	•	•	•
	CVTFRONT10	10" round front plate \$148 Front rough-in plate for front downward exhaust applications	•	•	•
	CVDUCT2	2' rectangular duct \$296 Rectangular duct that is 2' long × 1 ⁷ / ₈ " deep × 19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to connect CVTRECT2 to round ductwork	•	•	•
	CVTRECT2	Transition for rectangular duct \$148 Required to attach CVDUCT2 2' rectangular duct to downdraft housing	•	•	•

Model Number	Description	rices listed herein do not include applicable state or lo	MSRP					
Accessorie	25				note wers	Do	wndr	aft
				VTR630W	VTR1030W	UCVM30XS	UCVM36XS	UCVP36XS
Remote & In	line Blower Extensi	ion Cable						
	nsion cable for use ood and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods Connet icin two college 	 For use with blow- ers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W 					
		 Cannot join two cables together for longer length. 						
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	\$178			•	•	•
Electrical Pa	nel Extension Cabl	e						
36" UCVM3 downdraftCable conr located ele downdraft	th 30" UCVM30XS, 6XS, 36" UCVP36XS models only nects a remotely actrical panel to the during remote and er motor installa- ations	• Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way	 Extends electrical panel cable an additional 5' Ability to connect two cables together to make a 10' cable Not to be used to connect the downdraft with inline and remote blowers 					
Sn	EXTNCE5	5' Electrical Panel Extension Cal for Downdraft. For UCVM30XS, UCVM36XS, UCVP36XS downdr	· · · · · ·			•	•	•
Roof Plates	plate required for ro	of-mount application of remote blo	owers.					
	RFPLT600P	Roof mounting plate for VTR630	W \$193	•				
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W	\$236		•	•		

BUILT-IN DISHWASHERS

This price list supersedes all pre Model	vious price lists. Prices listed l	herein do not include applicable state or l	ocal taxes.		
Number	Description			MSRP	
 All Dishwashers inclusion Superior washing an mance guaranteed Concealed controls Black-shimmer rack adjustment A highly flexible rac 18/10 Stainless steet ENERGY STAR[®] cer Powerfully Quiet[®] op Sens-a-Wash[®] 	nd drying perfor- ks with 3-Step king system el TallTub tified	eatures: • Advanced Triple Filtra • Hidden Heating Eleme • Leak Sensor and Auto • Connected Experience • TFT Capacitive Touch	ent 9 Shut off e Controls	Wash Cycles Normal Auto Pots and F Hand Wash Rinse Options: PowerBoo 24-hour De Half Load Remote St	Pans h st [®]
					Emerald Series
 48 dBA Chef's Tool Drawer' (third rack) 16 place settings Extra-Tall-Item Sprint DWHD650WFP DWHD650WFM DWHD650WPR 	nkler 24" Professional	Capacitive touch control el Stainless Steel Emerald [®] Stainless Steel Emerald [®] el Emerald [®]	Additional Wash Cyd • Quick (30 minute Additional Options: • Extra Dry		DWHD650WFP DWHD650WFM DWHD650WFM DWHD650WFR DWHD650WPR
 44 dBA Premium Smooth G Chef's Tool Drawer¹ rack) 16 place settings Extra-Tall-Item Spring 	lide Racks • Time indic • Crys • Wate	nless steel control panel e remaining PowerBeam [®] cator stal Protect [®] System er softener	Additional Wash Cyc • Quick Additional Options: • Extra Dry; Sanitiz		Topaz [®] Series
DWHD660WFP DWHD660WFM DWHD660WPR		-		\$2,720 \$2,720 \$2,720	DWHD660WFM DWHD660WPR

BUILT-IN DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model Number	Description	MSR	>
			Sapphire [®] Series
 42 dBA Adjustable Chef's To Drawer™ (third rack) 16 place settings Flexible folding tines Extra-Tall-Item Spring 	indicator • Sapphire Glow™ Interior Light	 Push to Open Additional Wash Cycles: Quick; 1 hour Additional Options: Sanitize; Save Time; StarDry™ - with Zeolite ™, a exclusive Thermador drying solution 	DWHD770WFM
DWHD770WFP	24" Professional Stainless Steel Sapphire		
DWHD770WFM	24" Masterpiece® Stainless Steel Sapphire		DWHD770WPR
DWHD770WPR	24" Custom Panel Sapphire® (Requires Cu	stom Panel) \$3,46	1
			Star Sapphire [®] Series
 44 dBA Premium Smooth Gli Entertainer's Drawer (third rack) 16 place settings Flexible folding tines Extra-Tall-Item Sprin Time remaining Pow indicator 	rainbow of colors through the Connected Experience • Crystal Protect [®] System • 18 wine glass capacity • Push to Open	 Additional Wash Cycles: StarSpeed[®]-20 min. hot water wash Glass Star 60 (1 hour wash) Additional Options: Sanitize Save Time StarDry[™] - with Zeolite [™], an exclusive Thermador drying solution 	DWHD870WFP DWHD870WFM
DWHD870WFP	24" Professional Stainless Steel Star Sapp		2
DWHD870WFM	24" Masterpiece® Stainless Steel Star Sap	•	2
DWHD870WPR	24" Custom Panel Star Sapphire® (Require	es Custom Panel) \$4,20	2

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number


Description

MSRP

NEVER HAND WASH AGAIN

The First Dishwasher Designed Specifically for Glassware

Crafted with a tine-less configuration to maximize capacity for wine glasses, beer steins and more, this glass dishwasher securely washes your most delicate stems while accommodating every entertaining occasion.



tines for customization of glassware and the ultimate in capacity, and all new bottom mat providing the ultimate in glassware security

Home Connect

44 dBA

- Premium Smooth Glide Racks
- Flexible folding tines (upper)
- Sapphire Glow[™] Interior Light
- · Push to Open
- Seven Cycles:

- Six Options:
- Brilliant dry, Extra dry, Half load, Intensive Zone, Remote Start, Sanitation

\$3,609

\$3,609 \$3,609

DWHD771WFP		
	·······	
DWHD771WFM		
		-

DWHD771WPR

DWHD771WFP	24" Professional Stainless Steel Glass Care Center
DWHD771WFM	24" Masterpiece® Stainless Steel Glass Care Center
DWHD771WPR	24" Custom Panel Glass Care Center

(Requires Custom Panel)

ACCESSORIES

This price list superse Model Number	edes all previous price lists. F Descriptio	Prices listed herein do not include applicable state or local taxes.	5				
Accessorie	· · ·		Emerald Series	Topaz® Series	Sapphire [®] Series	Star Sapphire®	Glass Care Center
M	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	•	•	•	•	•
\bigcirc	SMZSH002UC	Dishwasher Water Supply Hose	•	•	•	•	•
	SGZ1010UC	Dishwasher Drain Hose Extension	•	•	•	•	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)		•	•	•	•
	<u>SMZ5000</u>	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	•	•	•	•	
	<u>SMZ5400</u>	MyWay™ Rack Large Silverware Insert Accessory DWHD870* models only				•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald $^{\circ}$ dishwashers (clips onto lower rack)	•				

NOTE: Above accessories can be used in all dishwasher models unless otherwise noted.

* Pricing for the Thermador[®] dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.



Cañón Grande 7720, Col. La Estanzuela Monterrey, N.L. 64984

T.(81)8625 5000 info@artexa.com Artexa Experience & Design Center Mexico City Homero 1433 Mezzanine Col. Polanco II Secc., Delegación Miguel Hidalgo, Ciudad de México 11540 citas@artexa.com

Oficina de proyectos Dakota 204, 3er piso, desp. 302 Col. Napoles Ciudad de México 03810 T. (55)5256 5373

texa.com ArtexaMx artexamx



19-BSH-0779.1 11/26/2019

©2020 BSH Home Appliances Corporation. All rights reserved.